



INVEST IN THE FUTURE

COLLISION REPAIR



SPOT WELDING - DENT PULLING - MIG-MAG/GMAW-FCAW - PLASMA CUTTING
INDUCTION - RIVETING - LIFTING - BODYSHOP TOOLS

2025 A

A solid manufacturing group

900 people

C1+
Credit Rating
Banque de France

€ 140 000 000

55 000 m²
2 factories



FRENCH MANUFACTURER
SINCE 1964

A family company



Nicolas & Bruno
Bouygues



Global coverage
125 countries

3 catalogues

3 500+ references



- MMA/SMAW
- TIG/GTAW
- MIG-MAG/GMAW-FCAW
- Plasma cutting
- Induction heating
- Stud welding
- Spot welding
- Accessories
- Protection
- Consumables



- Spot welding
- Dent pulling
- MIG-MAG/GMAW-FCAW
- Plasma cutting
- Induction heating
- Riveting
- Lifting
- Bodyshop tools



- Chargers
- Battery support units
- Boosters
- Starters
- Testers
- Portable energy
- Jumper cables
- EV charging
- Accessories



GYS FRANCE - HEADQUARTERS
Laval

GYS LOGISTIC CENTER
Laval



GYS GERMANY
Aachen



GYS U.K.
Rugby



GYS CHINA
Shanghai



GYS ITALIA
Venezia



GYS IBERICA
Madrid

Table of contents

DENT PULLING	5 > 37	MIG WELDING	82 > 95
PULLING SYSTEMS	38 > 45	PLASMA CUTTING	96 > 100
PAINTLESS DENT REPAIR	46 > 51	INDUCTION HEATING	101 > 109
SPOT WELDING	52 > 69	TRUCK TOOLS & MOBILE LIFTS	110 > 116
RIVETING	70 > 81	ACCESSORIES	117 > 143



MANUFACTURER
SINCE 1964

★★★★★ **THEY TRUST US** ★★★★★

ILS NOUS FONT CONFIANCE



LAND ROVER

JAGUAR

MERCEDES

smart



DODGE



VOLKSWAGEN
GROUP



TESLA
APPROVED
COLLISION TOOLS, EQUIPMENT & CONSUMABLES



Jeep



EICHER



红旗



Li Auto



ZEKER

LYNK&CO



BMW

MINI

ROLLS ROYCE



DENT PULLING

STEEL / ACIER / STAHL

GYSPOT 6

GYSPOT PRO 7

ALU

GYSPOT ALU 8

ALU + STEEL / ACIER / STAHL

GYSPOT COMBI 9

ACCESSORIES & CONSUMABLES 10

DRAWN ARC

ALU + STEEL / ACIER / STAHL

GYSPOT ARCPULL 12

COMBI ARCPULL 13

ACCESSORIES & CONSUMABLES 16

FAST DENT PULLING 18

LEVELLING BARS 20

COMPLETE WORKSTATIONS 24





GYSPOT

DENT PULLING STEEL ACIER - STAHL

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux - Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten

OPTIONS

Consommables - Consumables p.10

Chariots - Trolleys p.24

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux - Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten

- Tempering - Rétreinte - Temperieren



FIXED GUN



FIXED GUN


GYSPOT 26.02

2600 A x1 AUTOMATIC


230V • 1~

052208

included



Automatic quick gun, 1.8 m, 70 mm²
+ Hammer (057272)



Earth cable 1.7 m, 50 mm² Electrode warming point (x3) Star copper coating (x3)


GYSPOT 27.02

2600 A x1 MANUAL


230V • 1~

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705)
+ Hammer (057272)



Earth cable 1.7 m, 50 mm² Electrode warming point (x3) Star copper coating (x3)

GYSPOT 34.02 & 34.04

3500 A x1 MANUAL


230V • 1~

GYSPOT 34.02
065741


400V • 2~

GYSPOT 34.04
067943

included



Manual quick gun, 2 m, 50 mm²
+ Hammer (057272)



Earth cable 1.7 m, 50 mm² Electrode warming point (x3) Star copper coating (x3)

QUICK GUNS

Quick & Easy



AUTOMATIC



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207



MANUAL



No connector
cable 1.8 m, Ø 70 mm²
for 27.02
058705

WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400,
EXPERT 200/230/400,
COMBI 230EPRO
057524

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04


Mandrels for gun -
Mandrins pour pistolets
- Pistole & Anschlußstücke,
Zubehör




QUICK GUN
057531



D1
048959



Nut - Ecrou
053199



Microswitch
053267

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux - Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A x1 AUTOMATIC


230V • 1~

GYSPOT 39.02
052215

400V • 2~

GYSPOT 39.04
052222

included



Automatic quick gun, 2 m, 70 mm² (057517)
+ Hammer (057272)



Earth cable 2 m, 70 mm² SPOTTER BOX STANDARD (053915)
(Details p.10)

GYSPOT PRO 230 & PRO 400

3800 A x2 AUTOMATIC
MANUAL


230V • 1~

GYSPOT PRO 230
052178


400V • 2~

GYSPOT PRO 400
052185

included



Automatic quick gun, 3 m, 50 mm² (057500)
+ Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable 2 m, 70 mm² SPOTTER BOX PRO (050075)
(Details p.10)

GYSPOT EXPERT 200, 230 & 400

3800-4500 A x2 AUTOMATIC
MANUAL

230V • 1~

GYSPOT EXPERT 230
066885


200-240V • 1~

GYSPOT EXPERT 200
058842


400V • 2~

GYSPOT EXPERT 400
058859

included



Automatic quick gun, 3 m, 70 mm² (059207)
+ Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable Thick 3 mm² 2 m, 70 mm² SPOTTER BOX PRO (050075)
(Details p.10)

				I ₂ max	U ₂	I _{AM}	I _{RMS}	kW				SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	
	62135	50/60 Hz		A	V	A	A		OK	—	MANUAL	—	—	—	—	—	—	LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT 26.02	230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02	230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 34.02	230V	2 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04	400V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 24
MADE IN FRANCE	GYSPOT 39.02	230V	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04	400V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 25.2
	GYSPOT PRO 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400	400V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.4
	GYSPOT EXPERT 200	200-240V	8 m	4350 > 5100	7,2-8,7	30(D)	3100 > 3600	25 > 36	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	■	■	■	■	■	■	■	49 x 37 x 31 / 30.6
	GYSPOT EXPERT 400	400V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 32.9



GYSPOT ALU

DENT PULLING ALU



SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



Goujons - Studs



FIXED GUN

GYSPOT ALU 66

13000 A x1 AUTOMATIC

230V • 1~

AD ANTI-DUST




080188

included for Ø 4 mm



Automatic alu gun
3 m, 25 mm²




ALU BOX STANDARD (050020)
(Details p.11)

GYSPOT ALU PRO FV

13000 A x1 AUTOMATIC

110 > 230V • 1~

FV FLEXIBLE
VOLTAGE




021990

included for Ø 4 mm



Automatic alu gun
3 m, 25 mm²



ALU BOX STANDARD (050020)
(Details p.11)

ALU GUN

AUTOMATIC

3 m, Ø 25 mm²


included SPOT ALU FV
& COMBISLOT 230

054066



(x 3)
065635

66 mF CAPACITOR
DISCHARGE
WELDING



Joint rings for
mandrel Ø 4/5/6
x 2
060814

OPTIONS

Consumables - Consommables
p.11



ALU accessories - Accessoires ALU
p.19



Trolleys - Chariots
p.24



GYSPOT COMBI

DENT PULLING ALU+STEEL ACIER - STAHL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Steel / Acier / Stahl

Alu



Stars - Étoiles
Rings - Anneaux
Wavy wires - Fils ondulés
Impact shrinking -
Rabattage d'impact

Tempering - Rétreinte
Rivets - Rivets
Rings - Rondelles
Studs - Goujons

2 GUNS
INCLUDED



GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

3800 A Acier / Steel / Stahl

13000 A Alu

230V • 1~

x2

AUTOMATIC
MANUAL
AUTOMATIC

021266


included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)



Automatic alu gun, 3 m, 25 mm²



Earth cable
2 m, 70 mm²



SPOTTER BOX PRO (050075)
(Details p.10)



ALU BOX STANDARD (050020)
(Details p.11)

MADE IN GYS CHINA	GYSPOT ALU 66	230V	6 m	13 000	50 > 200	5	—	0.52	OK	OK	■	■	—	3 m	Included Alu box	27 x 20.5 x 27 / 13.5
MADE IN FRANCE	GYSPOT ALU PRO FV	110 > 230V	6 m	13 000	50 > 200	5	—	0.65	OK	OK	■	■	—	3 m	Included Alu box	49 x 38 x 29 / 13.4
	GYSPOT COMBI 230 E.PRO	230V	8 m	3800 (steel) 13000 (alu)	7,4 (steel) 50 > 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	2/3 m	Included Spotter box + Alu box	54 x 76 x 34 / 47.5

GYSPOT

ALU + STEEL DENT PULLING

mandrel for ALU GUN		alu magnesium screws 12 mm		alu silicium screws 12 mm		screwable rings		fast pulling rings		lifting rod			
ø 4 x2	ø 5 x1	ø 6 x1	ø 4 - M4 x200	ø 4 - M4 x1000	ø 5 x100	ø 6 x100	ø 4 - M4 x200	ø 4 - M4 x1000	ø 5 x100	ø 6 x100	ø 4 x5	ø 5 x5	ø 3 : 180, 300 500 mm
049000	048157	048164	050273	050129	048140	048133	050280	050136	048126	048003	050297	058712	050792




GYSPOT ARCPULL

DENT PULLING DRAWN ARC ALU + STEEL

ACIER - STAHL



MANUAL



⌘ Rings - Anneaux - Zugösen
⌘ Studs - Goujons - Gewindebolzen
⌘ Stainless steel nails - Tiges inox
⌘ Edelstahlnägeln

- 1 Start-up - Amorce - Zündung
- 2 Scouring (I & t) - Décapage - Abbeizen
- 3 Arc (I & t) - Arc - Lichtbogen
- 4 Hitching (I & t) - Accroche - Verklebung
- 5 Height - Hauteur - Höhe




7
languages
FR, EN, DE, SP, IT,
NL & RU

SYNERGIC DIGITAL GUNS

★★★★★
**UNIQUE
Linear Motor**

DRAWN ARC PROCESS
Gas protection



3 m, Ø 25 mm²

included
ARCPULL
200 & 350,
COMBI ARCPULL




Full control




Consumables for Gun




FV FLEXIBLE
VOLTAGE



SR SECONDARY
REGULATION



AD ANTI-DUST



MANUAL &
SYNERGIC CONTROL



Ø max
Alu : 6 mm
Fe : 6 mm



GUN WITH CONNECTOR

GYSPOT ARCPULL 200 COLLISION REPAIR

100 · 230 V · 1 ~

200 A x1 MANUAL

FV SR AD

057470

included



Manual synergic gun
3 m, 25 mm²

x1
059610

+ Lifting rod 180 mm
(x1) 082915


OPTIONS

Weld 810

for ARCPULL 200

037489

details p.24



GYSPOT COMBI ARCPULL

230 V · 1 ~

ARCPULL

200 A

Alu

x1

MANUAL

069824

Arccpull accessories included



Manual synergic gun
3 m, 25 mm²

x1
059610

+ Lifting rod 180 mm
(x1) 082915

EXPERT

3800 A


Acier / Steel / Stahl

x1

MANUAL

OPTION : AUTOMATIC

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

x1
059610

+ Lifting rod 180 mm
(x1) 082915

Earth cable
2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)

 MADE IN FRANCE	 60974-1			I ₂	SYNERGIC	MANUAL	IRMS (A)			U ₂		kW			
		50/60 Hz	A	Acier/Steel				Alu	V	A	LxWxH cm / kg				
GYSPOT ARCPULL 200 COLLISION REPAIR		110 ÷ 230 V	6 m	10 ÷ 100 (110 V) 10 ÷ 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 ÷ 24 V (110 V) 20.4 ÷ 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL		230 V	8 m	Alu 10 ÷ 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 ÷ 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5



GYS POT ARCPULL

DENT PULLING DRAWN ARC ALU + STEEL ACIER - STAHL



- SYNERGIC: Rings - Anneaux - Zugösen, Studs - Goujons - Gewindebolzen, Stainless steel nails - Tiges inox - Edelstahlnägel
- EXPERT Control: 1 Start-up - Amorce - Zündung, 2 Scouring (l & t) - Décapage - Abbeizen, 3 Arc (l & t) - Arc - Lichtbogen, 4 Hitching (l & t) - Accroche - Verklebung, 5 Height - Hauteur - Höhe



7 languages
FR, EN, DE, SP, IT,
NL & RU



Ø max
Alu/Fe: 8 mm



Ø max
Alu: 10 mm
Fe: 13 mm




Ideal
all position

5 or 10 m, Ø 50 mm²
included
✓ ARC PULL 700

SYNERGIC DIGITAL GUNS

★★★★★
UNIQUE
Linear
Motor



FULL CONTROL

3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL



Consumables for Gun

x2
059627

x1
059610

GYS POT ARCPULL 350 COLLISION REPAIR

208 › 240 V • 1 ~

350 A

✂ x1 MANUAL

PFC SR AD

082953

included



Manual synergic gun
3 m, 25 mm²

ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMg5i)
059429

x1
059610

ALU RING bag 2 mm
(AlSpec x100)
065703

Lifting rod 180 mm
(x1) 082915

OPTIONS

details p.24

Weld 810
for ARCPULL 350
037489



Weld 910
for ARCPULL 700
070967



GYS POT ARCPULL 700 COLLISION REPAIR (5M)

380 › 480 V • 3 ~

680 A

✂ x1 MANUAL

SR IP 23

068315

GYS POT ARCPULL 700 COLLISION REPAIR (10M)

380 › 480 V • 3 ~

680 A

✂ x1 MANUAL

SR IP 23

085503


included



Manual synergic gun
50 mm²
5 m or 10 m



Double earth clamps
700 A, 3 m, 50 mm²
068605



Arc Pull Rivet Box 700



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMg5i)
059429



Lifting rod 180 mm
(x1) 082915




Ground studs holder
Ø 6 (x1)
075368
Ø 8 (x1)
075375
Ø 10 (x1)
075382



Threaded holder
Ø 5 (x1)
076174
Ø 6 (x1)
068391



Gas protection
(x1)
068346



				I ₂	SYNER- GIC		TECHNOLOGY	U ₂		kW			
MADE IN FRANCE	60974-1	50/60 Hz		A		Acier/Steel	Power Factor Correction	V	A				LxWxH cm / kg
GYS POT ARCPULL 350 COLLISION REPAIR		208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control	■	20.4 › 34 V	16	11.9	OK	OK	48 x 36 x 30 / 17.4
GYS POT ARCPULL 700 COLLISION REPAIR		3x 400 V 3x 480 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control	—	22 › 44 V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	OK	OK	60 x 43 x 46 / 27.8



GYS POT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					<
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---



FAST DENT PULLING

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT
39.02/04,
PRO 230/400,
EXPERT 230/400,
COMBISLOT 230

MANUSPOT =
050679



Tools set and support
for DENT 600, 800, 1000, 1600,
Workstation & Dentstation




EASYGUN
051317




MANULINER
050471


PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN



4 positions
4 Positionen



051584
380 g



051669



Manual dent-pulling bar - Poignée de tirage manuel
057289




EASYGUN
051317

Box of 3 electrodes for accessories
050822



FAST & EASY

RINGMATIC
052154



included
(x 50)



Option
Gun adapter -
Adaptateur
pistolet
052499

MANULINER/GUN

056831

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN



Pads - Patins (x2)
060807



DENT AXE PULLER

080508



Direct impact electrodes (x5)
050839


QUICK SPOT AIR GUN V2

057340



LIGHT
920 g

AIR



Gun adapter -
Adaptateur pistolet
052826

MANU PULLER

079502



Included
Alu 3
065178



Included
Steel
079830



Included
Alu 4
065185



ALU

ARC PULLER PREMIUM



Included
Alu 3
065178

Included
Alu 4
065185

Pads - Patins
(x2)
069008

ULTRA RESISTANT
No deformation



ARC PULLER PREMIUM PRO




072572

Included
Alu 3
065178

Included
Alu 4
065185

Pads - Patins
(x4)
074958

ALU PULLER




4 positions

Included
Alu 1
050938


Included
Alu 2
050945

Patins - Pads (x2)
060807



STRAIGHT LINE LAMP

- Lampe ligne droite - Dentline-laser



056770

FAST PULLING RINGS

- Anneaux de tirage rapide



058743

x5
058712

goujons alu -
alu screws
ø 4, 5 & 6 mm

Included
Alu 1
050938

Included
Alu 2
050945

Marteau à
inertie 380 g
050051

ALU HAMMERS

- Marteaux alu



020986

Heat gun
- Décapeur thermique
- Heißluftpistole
I: 100/300°C (450 W)
II: 300/650°C (1500 W)
Air flow: 450 l/min



066311

Gas hot air gun - Pistolet
à air chaud autonome
à gaz



060777

Blow torch -
Lampe à souder
- Lötlampe



052741

Novacet +
(Butane/propane/
propylene)
380 ml/220 g



040441

Brushes -
Brosses
- Bürsten
- Brosas
- Cepillos



044258

Thermal
marking
pencil - Crayon
marqueur
thermique



052765

Freezer spray -
Spray
refroidisseur



048898

Heat barrier
spray - Spray
barrière
thermique



054325

Infrared Thermometer -
Thermomètre infrarouge
-50 / +600°C
-58 / +1112°F
Adjustable emissivity:
0.10 ~ 1.00



079922

FAST & EASY TOOLS

DENT PULLING

19



FAST & EASY TOOLS

DENT PULLING

19



FAST & EASY TOOLS

DENT PULLING

19



FAST & EASY TOOLS

DENT PULLING

19



FAST & EASY TOOLS

DENT PULLING

19



FAST & EASY TOOLS

DENT PULLING

19

PULLING BARS

3 PRODUCT LINES

1 STANDARD

2 PREMIUM



SLIDE & LOCK

3 PREMIUM PRO



QUICK HOOK



EASY REMOVABLE PULLING SYSTEM




SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
↓ 1.6 kg
⊗ 79 x 12 x 17 cm / 1.9 kg


PATENTS REGISTERED NUMBERS
001652108-0002
EUROPEAN TRADEMARK & DESIGN



Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
↓ 2.5 kg
⊗ 77 x 12 x 13 cm / 3.2 kg


Licensed by
BETAG.Innovation



Levelling bar
- Barre de débosselage
- Zugbrücke


050693
↓ 3.4 kg
⊗ 87 x 17 x 19 cm / 4 kg

Licensed by
BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
↓ 5.1 kg
⊗ 87 x 17 x 18 cm / 5.9 kg



SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET



PULLING SYSTEM

only for 059313



LIGHTWEIGHT

Léger



GRIP 360

360° pads with grip
Patins à frein orientables à 360°




X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres

PREMIUM


Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
↓ 1.6 kg
⊗ 100 x 16 x 17 cm / 2.2 kg




Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
↓ 2.8 kg
⊗ 79 x 30 x 13 cm / 3.2 kg




Premium scissoring bar
- Barre de tirage Premium
- Premium Scherenzugbrücke

058996
↓ 3.1 kg
⊗ 87 x 16 x 18 cm / 3.9 kg





Premium 1200 scissoring bar
- Barre de tirage 1200 renforcée Premium
- Premium Scherenzugbrücke 1200

059313
↓ 5.6 kg
⊗ 127 x 26 x 9 cm / 6.2 kg



OPTIONS

Reinforced bar 1200 mm - Barre renforcée
051171



Fixing screw
058439

Double pads support
- Support double patin
- Doppelfüße
050723



STANDARD
PREMIUM

1 tooth hook
Ø M10 / M14
082021

3 teeth hook
PREMIUM
Ø M10 / M14
059658

4 tooth claw
Ø M10 / M14
049758

6 tooth claw
Ø M10 / M14
049734

8 tooth claw
Ø M10 / M14
049741

Ring-pulling
068995

8 tooth claw for pulling chain
Ø M10 / M14
067745

OPTIONS

Single foot
- Pied simple
- Fuß



Double foot levelling bar
- Pied double patin
- Doppelfuß



QUICK HOOK



SLIDE & LOCK



EASY REMOVABLE PULLING SYSTEM



MULTIPLE PULLING SYSTEM



GRIP 360

GRIP 360+



STRENGTHENED (DOUBLE) BAR




X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres




Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel

072619
↳ 1.6 kg
⊗ 87 x 17 x 18 cm / 2.3 kg




Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
⊗ 120 x 26 x 8 cm / 4.4 kg
↳ 3.8 kg



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
⊗ 103 x 30 x 13 cm / 5.2 kg
↳ 4.5 kg






Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm

072626
⊗ 124 x 7 x 7 cm / 3.1 kg



OPTIONS





DENT PULLING WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility

SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓


Dent 600

44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000

44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848




Universal 800

60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810

77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910

89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967




Dent 1600

70 x 69 x 161 cm
35,8 kg
103 x 66 x 22 cm
38,7 kg
072596



Dent 1600 WD

71 x 70 x 161 cm
49,5 kg
103 x 66 x 22 cm
52,4 kg
072169



Dentstation Pro WD

90 x 71 x 161 cm
65 kg
120 x 80 x 28 cm
68,5 kg
072800



4 m³ support
+ Arcpull gun support
for Dent 1600 / 1600 WD
& Dentstation Pro WD
059665



Cable support for
Spot 800, 1600
& Dentstation
052284



Protection cover
- Housse de protection
- Schutzhaube
for Universal 800
062733
for Spot 1600 & Dent 1600
048881
for Dentstation Pro
059870

Storage accessories
- Set de fixation
for Proliner, Speedliner, Gysliner
051362



Fixing flanges for generator
- Brides de fixation pour
générateur



062146

EASYLINER

ALL IN
1 BOX



EASYLINER 39.02

EASYLINER PRO 230

PROLINER



PROLINER 39.02
PROLINER 39.04

PROLINER PRO 230
PROLINER PRO 400

PROLINER ALU 66

PROLINER ALU PRO FV

PROLINER ARCPULL 200

STEEL / ACIER / STAHL



GYS SPOT
(guns & consumables included)

39.02

053618
058521

PRO 230

072398

ALL IN
1 BOX

INCLUDED ACCESSORIES



DENT 1000
072848



Dent box easy
053632



Levelling bar double action
053564

STEEL / ACIER / STAHL



GYS SPOT
(guns & consumables included)

39.02

035775

PRO 230

035799

39.04

035782

PRO 400

035805

INCLUDED ACCESSORIES



UNIVERSAL 800
051331
+ Cable support
052284



Dent box easy
050037



Levelling bar double action
053564

ALU



GYS SPOT
(guns & consumables included)

NEW

ALU 66

087774

ALU PRO FV

035836

ARCPULL 200

065260



UNIVERSAL 800
051331
+ Cable support
052284



UNIVERSAL 800
051331
+ Cable support
052284



Weld 810
037489
+ Cable support
052284



Alu puller
051003



Alu puller
051003




Arc puller premium
065161

SPEEDLINER STANDARD



PRO 230, 400 EXPERT 200, 230, 400 COMBI 230 E.PRO ARCPULL 200 + PRO 230, 400 ARCPULL 200 + EXPERT 200, 230, 400 ALU PRO FV



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

PRO 230 074446	EXPERT 200 074460	COMBI 230 E PRO 074491	ARCPULL 200 + PRO 230 074507	ARCPULL 200 + EXPERT 200 074521
PRO 400 074453	EXPERT 230 074477		ARCPULL 200 + PRO 400 074514	ARCPULL 200 + EXPERT 230 074538
	EXPERT 400 074484			ARCPULL 200 + EXPERT 400 074545

INCLUDED ACCESSORIES

DENT 1600
072596

Cable support
052284

Levelling bar 850 mm
050693

Levelling lever
050686

Magnetic earth
049666

Multihook heads
049758+049734

Dent box consumables 051515
3 lifting rods 050792

Ringmatic
052154

Alu puller
051003

Cable support
052284

Arc puller premium
065161

Cable support
052284 + 4 m support
059665

Stainless stell brush
044258
Alu Box Ø5 & 6
048195

Infrared Thermometer
079922
Hot air gun 650°C
066311

Steel Speedliner without generator (excluded Ringmatic) : 035058

ALU + STEEL / ACIER / STAHL

ALU

NEW

ALU 66 ALU PRO FV
087781 074552

INCLUDED ACCESSORIES

DENT 1600
072596

Cable support
052284

Levelling bar 850 mm
050693

Levelling lever
050686

Alu hammers
020986

Set of pencil punches with
6 teflon tips 052888

Multihook heads
049758

Alu puller
051003

Stainless stell brush
044258
Alu Box Ø5 & 6
048195

Infrared Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PREMIUM

★★★★
COMPLETE
SYSTEM



PRO 230, 400 EXPERT 200, 230, 400 COMBI 230 E.PRO ARCPULL 200 + PRO 230, 400 ARCPULL 200 + EXPERT 200, 230, 400 ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

ALU



GYSPOT
(guns & consumables included)

PRO 230 073883	EXPERT 200 073906	COMBI 230 E PRO 073968	COMBI ARCPULL 074569	ARCPULL 200 + PRO 230 073975	ARCPULL 200 + EXPERT 200 073913	ARCPULL 200 073999	ARCPULL 350 083042
PRO 400 073890	EXPERT 230 073920			ARCPULL 200 + PRO 400 073982	ARCPULL 200 + EXPERT 230 073937	077317 (without HOT AIR GUN)	
	EXPERT 400 073944				ARCPULL 200 + EXPERT 400 073951		

INCLUDED ACCESSORIES



DENT 1600 WD
072169



Cable support
052284



Premium levelling bar 720 mm
059306



Hook head
049758
+ 059658
+ 082021




Premium levelling lever
059290



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515 + 3
lifting rods 050792



Manual pulling handle
Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284




Arc puller premium
065161



Cable support
052284
4 m³ support
059665



DENT 1600 WD
072169
Cable support
052284



Alu Ring Box 1 mm
059412
Premium 1-tooth hook
059382



Arc puller premium
065161



Premium levelling bar 720 mm
059306



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Set of pencil punches
with 6 teflon tips
052888



3 lifting rods
050792



Stainless steel brush
044258



4 m³ support
059665

SPEEDLINER PREMIUM PRO



PRO 230, 400



EXPERT 200, 400
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

ALU



GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 400	EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350	COMBI ARCPULL	ARCPULL 200	ARCPULL 350
080201	080218	080232	083028	080225	080256	083035
		EXPERT 200 + ARCPULL 200 080553				

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Premium Pro levelling bar 900 mm
071643



Premium Pro levelling bar
072619



Ringmatic
052154




Manuspot
050679



Premium Pro teeth hook
072671 + 072664 + 072640



Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515



Magnetic earth
049666



Cable support
052284



4 m support
059665

Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Alu Ring Box 1 mm



072664



4 m support
059665



Premium Pro levelling bar 900 mm
071643



Set of pencil punches with 6
teflon tips
052888



Arc Puller Premium Pro
072572




Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless steel brush
044258



3 lifting rods
050792

DENTSTATION STANDARD



39.02, 39.04



PRO 230, 400



EXPERT 200, 230, 400



COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400

COMPLETE
SYSTEM



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200	COMBI 230 E PRO	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078161	078208	078321	078529	078222	078338
39.04	PRO 400	EXPERT 230		ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
078185	078260	078369		078284	078383
		EXPERT 400 078444			ARCPULL 200 + EXPERT 400 078468

INCLUDED ACCESSORIES



Dentstation Pro WD
072800
Fixing kit
051362



Double pads
050723



Levelling bar 850 mm
050693



Scissoring bar
050716



Multihook heads
049758
+049734
+049741



Levelling lever
050686




Strengthened bar 1200 mm
051171
Extensions (x2)
052451



Magnetic earth
049666



Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm




Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings
(x5)
058712
+ Alu puller
051003



Cable support
052284





Arc puller premium
065161



Cable support
052284
+ 4 m² support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL





GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200	COMBI 230 E PRO	COMBI ARCPULL	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078239	078345	078543	078567	078253	078352
PRO 400	EXPERT 230			ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
078291	078406			078314	078420
	EXPERT 400				ARCPULL 200 + EXPERT 400
	078482				078505

INCLUDED ACCESSORIES



WORKSTATIONS

DENT PULLING

DENTSTATION PREMIUM PRO



EXPERT 230, 400



COMBI ARCPULL



EXPERT 400
+ ARCPULL 200, 350



ARCPULL 200, 350

STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

EXPERT 230

080133

EXPERT 400

080140

ALU + STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

EXPERT 400 +
ARCPULL 200

080164

EXPERT 400 +
ARCPULL 350

083004

COMBI ARCPULL

080157

ALU



1 BOX GYSPOT (guns & consumables included)

ARCPULL 200

080461


ARCPULL 350

083011

INCLUDED ACCESSORIES



1 BOX Dentstation Pro WD 072800




Premium pro levelling bar 900mm 071643




Premium pro levelling lever 072619
Premium pro bar 1184 mm 072626



Manuspot 050679




(x2) 059375 + (x2) 072688



072664 + 072671 + 072640 + 072657



071650 + 072312



Dent box consumables 051515
3 lifting rods 050792
Empty box 320x113mm



Magnetic earth 049666
Ringmatic 052154
Manual pulling handle 057289

1 BOX STEEL ACCESSORIES PACK V2 080126


+



Cable support 052284



4 m³ support 059665




Arc Puller Premium Pro 072572

1 BOX ALU ACCESSORIES PACK 073838

INCLUDED ACCESSORIES



1 BOX Dentstation Pro WD 072800




Premium pro levelling bar 900mm 071643 (x2) 059375



072664 + 072640 + 071650



Alu Ring Box 1 mm 059412



Alu hammers 020986



Arc Puller Premium Pro 072572



Set of pencil punches with 6 teflon tips 052888



3 lifting rods 050792



Stainless steel brush 044258
Infrared Thermometer 079922
Hot air gun 650°C 066311



4 m³ support 059665

1 BOX ARCPULL ACCESSORIES PACK 080485




PULLING SYSTEMS




Youtube

DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475




OPTION



INCLUDED

Wedge for rocker panel - Câlè pour bas de caisse




Pads kit for rocker panel - Kit patins pour bas de caisse



OPTION


Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581





OPTION

12 tooth claw for pulling chain 082229




DRAW ALIGNER PRO

069244




OPTION




INCLUDED

Plate under the wheel - Câlè sous roue
Compatible with Draw Aligner & Draw Aligner Pro


076693



Wedge for rocker panel - Câlè pour bas de caisse




Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS


Pads kit for rocker panel - Kit patins pour bas de caisse

071278




PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge

Manual-locking pull clamp - Mini pince de tirage à blocage manuel - Mini Klemme von Auflage in Handblockieren 056855




5 t



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme 052642



6 t



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme 060944




6 t


270 mm

100 mm

Right angle pull clamp - Pince de tirage à angle droit - Zugklemme 90° Winkel 052666



6 t



SWIVEL CLAMP - Pince pivotante



060968

6 t

240 mm

100 mm

PULL HOOK - Crochet de tirage - Ziehwerkzeuge

Boomerang pulling hook set - Kit crochet de tirage « boomerang » - Zughaken Set «Boomerang» 052659




450 mm

41 mm



ARCH HOOKS - Passage de roue

Large arch hook - Crochet passage de roue grande dimension 060982




315 mm

1.5 t

PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge

Chain joint double grab hook - Raccord de chaîne double crochet 061156



6 t


270 mm

Chain joint for two clamps - Raccord de chaîne pour deux pinces 061163



260 mm

Body chain 10 mm - Chaîne de tirage 10 mm 061255



2.5 m

Breaking load - Charge de rupture - Zuglast: 12 t

12 tooth claw for pulling chain 082229



068995


067745

049741

Ø M10 / M14

WIDE PULL CLAMPS - Pinces de tirage larges

2-way - 2 directions 061217




5 t

3 t

120 mm

Multi-way - Multidirections 061224




5 t

3 t

120 mm

SMALL PULL CLAMPS - Pinces de tirage faible largeur

Long nose clamp - Pince bec de canard 060951




2 t

245 mm

30 mm

Small mouth pull clamp - Pince de tirage faible largeur 061231




5 t

210 mm

45 mm

Box clamp - Pince contournement de rebord 061170




3 t

220 mm

35 mm

MULTIPLE PULL CLAMP - Pince de tirage multiple

Load spread multi clamp - Pince multiple répartition de charge 060999




5 t

120 mm

450 mm

45 MM SCISSORS CLAMP - Pince ciseaux largeur 45 mm




061187

3 t

280 mm

45 mm

90 DEGREE CORNER CLAMP - Pince de tirage pour angle 90°



059757

35 mm

192 mm

72 mm

90°

C TYPE CLAMP - Pince de tirage type C




061200

5 t

180 mm

70

SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



The best from **Autorobot**
www.autorobot.com/pdf/7148_ENG.pdf
MADE IN FINLAND


MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE - Satellite - Satellit Basisbügel-Set



052710



2 KIT MAC PHERSON (A) - Mac Pherson Kit - Befestigungs-Kit-Federbein (McPherson)



052703




3 BARRE POUR TIRER/POUSSER - Push/Pull Bar - Zug/Druck-Stangenset



052673



4 SATELLITE (B) - Bügelverlängerung



052680



5 SANGLE DE SÉCURITÉ - Safety Strap - Sicherungsgurt



044036



6 DOUBLE PINCE SATELLITE (C) - Double Clamp Satellite - Satellit Doppelklemme



052697



PINCE DE TIRAGE MULTI-USAGE - Versatile pulling clamp - Multifunktions-Zugklemme



053571

Autorobot



WELDING SHEETS KIT WITH CLAMP - Kit plaques à souder et pince



083493

NEW

75 mm

25 mm (x1 included) 083509 x5

38 mm (x1 included) 083516 x5

50 mm (x1 included) 083523 x5

75 mm (x1 included) 083530 x5



PDR: Paintless Dent Repair
- Débosselage rapide et sans peinture
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR

GYSDUCTION AUTO + Dent pulling inductor 054776 = GYSDUCTION AUTO DENT REPAIR 054981



Youtube



OPTION
Freezer spray
- Spray refroidisseur
-50 °C
400 ml (x 12)
048898




			Freq.	INTEGRATED TECHNOLOGY		Cable (m)		
50 Hz	A	W	kHz	PFC	FV	Liquid Cooling	Inductor	LxWxH cm / kg
230 V, 1~	16	2 400	35+120	■	■	—	2	2.5
								52 x 30 x 37 / 9.4
								37 x 21 x 37 / 7.5

PAINTLESS DENT REPAIR LAMP

- Lampes de débosselage - Ausbeullampe

083936




USB-C charge
Rechargeable battery
18650 Lithium
3200 mAh / 3.7 V / 11.84 Wh
not included

DENT REMOVAL FLEXIBLE PANEL

- Planche flexible pour inspection de la carrosserie - Ausbeul Matrix

059122




GLUE PULLER PRO (Acier/Alu • Steel/Alu)



Glue Puller PRO
058699


Glue Puller PRO
EXPORT
230 V 059160



DENT PULLING KIT (PAINTLESS)

- Kit débosselage sans peinture - Dellenausbeulhebel-Set

051959




33 parts

SET OF 6 PENCIL PUNCHES

- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen


052888



PNEUMATIC INERTIA HAMMER

- Marteau inertie pneumatique - Unterdruck-Schlaghammer

051904



PUMP AIR SUCTION SLIDE HAMMER

- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer


1,1 kg

048683




BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebpads


048089




048119




048072




048102





048096



082892




082908



OPTIONS




Pulling handle 3 claws - Poignée de tirage
3 dents - Handzugkralle 3-fach
057326




Slide hammer 380 g
- Marteau à inertie 380 g
- Gleithammer 380 g

050051



Slide hammer 500 g
- Marteau à inertie 500 g
- Gleithammer 500 g

057906



Set of 2 knives to cut glued reinforcements
- Jeu de 2 couteaux pour découpe de renforts collés
- 2-er Set Messer zur Klebepadentfernung

057913





GPR: Glue Pulling Repair
- Débosselage par colle
- Lackschadenfreies Ausbeulen

GLUE PULLING REPAIR



GPR I-BAR MINI




080324




GPR FLEXIBLE TABS




GPR FLAT TABS




GPR 3D TABS




GPR 3D CURVE TABS



GPR UNIVERSAL TABS




GPR FOLD TABS




GPR HAIL IMPACT TABS



GPR BAR TABS



GLUE GUN 400W - Pistolet à colle chaude 400W



GPR PRO KIT



1	GPR I-bar mini	51 mm	x 1
2	GPR Flexible tabs	64 x 20 mm 64 x 38 mm 64 x 51 mm	x 1 x 1 x 1
3	GPR Long tabs	152 x 38 mm 152 x 51 mm	x 1 x 1
4	GPR Plastic hooks		x 10
5	GPR Bar tab		x 1
6	GPR 3D tabs	12 mm 22 mm	x 1 x 1
7	GPR 3D curved tabs	51 x 38 mm 101 x 38 mm	x 1 x 1
8	GPR M4 steel hooks		x 5
9	GPR Universal tabs	Flat 38 x 22 mm Flat 51 x 22 mm Open angle 38 x 22 mm Closed angle 38 x 22 mm Straight angle 27 x 22 mm Dome Ø 22 mm Dome Ø 26 mm Dome Ø 40 mm	x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1
10	GPR Flat tabs	Ø 13 mm Ø 23 mm Ø 27 mm Ø 32 mm Ø 38 mm Ø 52 mm	x 1 x 1 x 1 x 1 x 1 x 1
11	GPR Bars for folds	35 mm 50 mm 90 mm 140 mm Flexible 135 mm 140 x 30 mm	x 1 x 1 x 1 x 1 x 1 x 1
12	GPR Glue sticks		x 10

Isopropyl alcohol
99.9% + spray - Alcool isopropyloque 99,9% + vaporisateur 082236

Heat gun - Décapeur thermique 066311

230 V only

Digital display - Affichage numérique

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

Gas hot air gun
- Pistolet à air chaud autonome à gaz 060777

Blow torch - Lampe à souder 052741

Novacet +
Butane/Propane/Propylène 040441

HIGH QUALITY

380 ml (220 g)

Infrared thermometer
- Thermomètre infrarouge 079922

-50~+600°C
-58~+1112°F

Adjustable emissivity : 0.10~1.00

Set of 6 pencil punches
- Kit de 6 coins de frappe 052888

3 plastic wedges
- 3 cales plastiques 051294

Lifting rod 180 mm
- Tige de tirage 180 mm 082915

Pulling hand 3 claws
- Poignée de tirage 3 dents 057326

(p. 47)

Slide hammer 500g
- Marteau à inertie 500g 057906

(p. 47)

Slide hammer 1.7kg
- Marteau à inertie 1,7kg 051201

(p. 10)

Glue Lifter
057364

included 061392

(p. 47)

Arc Puller Premium
065161

included **Alu 3** 065161
included **Alu 4** 065185
option **Steel M14** 079830

(p. 19)

Arc Puller Premium Pro
072572

(p. 19)

Premium Pro Levelling bar 900 mm
071643

(p. 23)

Airfix Draw Aligner
077379

(p. 39)

GYS GLUE PULLING REPAIR KITS



085770

NEW

111
pcs



6 rectangular red end tabs
- 6 embouts rectangulaires rouges
085312



10 flat pink end tabs
- 10 embouts plats roses
085329




4 green domed end tabs
- 4 embouts verts bombés
085398



12 black multiform tabs
- 12 embouts multiformes noirs
085978




2 blue bars with 4 plastic rings
- 2 barres bleues avec 4 anneaux plastiques
085251



3 tabs with 14 plastic rings kit
- Kit 3 languettes avec 14 anneaux plastiques
085282




4 blue pull bars with metal rail
- 4 barettes de tirage bleues avec rail métal
085299



10 blue multiform pulling bars
- 10 barettes de tirage multiformes
085305



Tapping hammer
- Marteau à frapper
085411



Dent removal aluminium pen
- Outils de débosselage stylo en aluminium
085404



Dent removal clamp - Pince de débosselage
085435



400 W hot glue gun
- Pistolet à colle chaude 400 W



Rubber mallet
- Marteau caoutchouc
085428



Pulling handle
- Poignée de tirage
085442



Plastic wedge
- Cale plastique



Spray bottle 600 ml
- Vaporisateur 600 ml




20 glue sticks - 10 bâtons de colle
085183

EUROPE

NEW

085466



EUROPE

NEW

087842



GYSMART GPR WORKSTATIONS

087859

NEW



GYS GPR KIT
085770

111
pcs



Heat gun
- Décapeur thermique
066311



Workstation Premium - Servante Premium
076143



30 glue sticks - 30 bâtons de colle
087835



Dent repair lamp
- Lampe de débosselage
083936



Infrared thermometer
- Thermomètre infrarouge
079922



Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



Alu hammers - Marteaux alu
020986



Arc Puller Premium Pro
072572



Steel
079830



4 tooth claw
- Griffes 4 dents
049758



Leveling bar - Barre de débosselage
050693




Isopropyl alcohol 99.9% + spray - Alcool isopropylique 99,9% + vaporisateur
082236



1 L 600 ml

Glue sticks - Bâtons de colle

NEW



x 10 085183 x 30 087835

Gas hot air gun - Pistolet à air chaud autonome à gaz
060777




Gas included - Bouteille incluse

Blow torch - Lampe à souder
052741



Gas not included - Bouteille non incluse

Novacet + Butane/Propane/Propylène
040441



380 ml (220 g)

Set of 6 pencil punches - Kit de 6 coins de frappe
052888



(p. 46)

3 plastic wedges - 3 cales plastiques
051294



Lifting rod 180 mm - Tige de tirage 180 mm
082915




Pulling hand 3 claws - Poignée de tirage 3 dents
057326



(p. 47)

Slide hammer 500g - Marteau à inertie 500g
057906



(p. 47)

Glue Lifter
057364



included 061392

(p. 47)

Arc Puller Premium
065161



included Alu 3 065161

included Alu 4 065185

(p. 19)

Premium Pro Levelling bar 900 mm
071643



(p. 23)

Airfix Draw Aligner
077379



(p. 39)

GLUE PULLING REPAIR

DENT PULLING

51

GYS

50



RESISTANCE SPOT WELDING

RANGES	54
--------	----

PRESENT MACHINES

PORTASPOT / BP.LX / PTI-S7	56
BP GENIUS	58
PTI GENIUS	60

NEW MACHINES WITH COLOUR SCREEN


PTI NEO	62
PTI MASTER / PTI EXPERT	64

ARMS & CONSUMABLES

G ARMS	66
ACCESSORIES & CONSUMABLES	67
X ARMS / C ARMS	68


EXIGENCES CONSTRUCTEUR - ANFORDERUNGEN DES AUTOMOBILHERSTELLERS
- REQUISITI DEL PRODUTTORE DI AUTOMOBILI

- HSS - HLE
- Bore - Boron
- VHSS - THLE
- Aluminium
- UHSS - UHLE




VS

RESISTANCE SPOT WELDING - Soudure par résistance



UHSS + UHSS
(2.5 + 2.5 mm)

1300 kg



Same mechanical resistance as original
- Même résistance mécanique qu'un point d'origine

UHSS + UHSS
(2.5 + 2.5 mm)

3300 kg

INVERTER machine

HOMOLOGATIONS PRODUITS - PRODUKT HOMOLOGATIONEN - PRODOTTI APPROVATI

[illegible]

Thatcham
Quality Assured

RESISTANCE SPOT WELDING RANGES



Machine type - Type de machine	Transformer in the clamp	Cable	Transformer in the clamp
Arm - Bras	C	G	G
Max welding current - Courant de soudage max	14500 A	13000 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.9 kg	6.5 kg	11.3 kg
Electrode with over-opening - Electrode avec sur-ouverture	—	Pneumatic	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	20 pts/min	20 pts/min
Automatique mode - Mode automatique	•	•	•
Cooling system - Système de refroidissement	30 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★★	★★★★	★★★★★
Clamp cable length - Longueur faisceau pince	4 m or 6 m	2.5 m	6 m
Gyro - Gyro	(Option)	• Ball bearing Gyro	• Ball bearing Gyro
Mains cable length - Longueur câble secteur	8 m	8 m	8 m
Balancing arm - Avec potence	•	•	• Electric, adjustable height
Disconnectable clamp - Pince déconnectable	•	—	—
Single sided gun - Pistolet monopoint	(Option)	•	(Option)
Software update & Traceability - Mise à jour logicielle et traçabilité	SD card	SD card	SD card



Machine type - Type de machine	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp
Arm - Bras	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	 9.7 kg	10.3 kg	11.8 kg
Electrode with over-opening - Electrode avec sur-ouverture	—	Mechanical	Mechanical
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min
Automatique mode - Mode automatique	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m
Gyro - Gyro	—	—	•
Mains cable length - Longueur câble secteur	8 m	8 m	8 m
Balancing arm - Avec potence	—	—	•
Disconnectable clamp - Pince déconnectable	—	—	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)
Software update & Traceability - Mise à jour logicielle et tracabilité	USB	USB	USB

PORTASPOT / GVSPOT

RESISTANCE
SPOT WELDING

PORTASPOT 230

6 300 A 120 daN

Air cooled

230V
022256




DELIVERED
WITH PX 1






Youtube

ARMS Ø 23 mm




I = 110 mm

PX1 (included)
047945




I = 220 mm

PX2
047938




I = 220 mm

PX3
047921



I = 350 mm

PX4
047914



Ref 051614

PX5
048690

ELECTRODES



EX40
Short electrode 40 mm
047884



EX60
Medium electrode 60 mm
047891



EX80
Long electrode 80 mm
047907


CAPS & ACCESSORIES




Caps type F (x 6)
049970



Caps remover
050846



Blade - Lame
052857



Cap grinder - Affuteur de caps
048966

							
50/60 Hz	A	A	A	mm	V	← m → m	Ø mm²
1 x 230V	16(D)	6 300	8 900	2+2	2.45	2.5	3x2,5 H05VVf
							OK
							41 x 18 x 22 / 11.3

GVSPOT
BP-LX

13 000 A
550 daN

For mild steel, HSS, UHSS

Boron steel



Double pressure



Ø 10 mm

6.5 kg
(included X1)

Liquid cooled

BP BODYPROTECT

Unique electro-magnetic field protection
2013/35/EU by GYS

Traceability software

Save spot welding
configuration and export data





	019652	058804
	400V	
Gyspot BP-LX		
Monopoint/ Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
X1 050501	▪	▪
X4A (x2) + X4B + X4C + X2 020733		▪
Liquid cooling (10L) 052246		(x3)


OPTIONS



x10 (x20: 052239)




x18 (x6: 049987)



x18 (x6: 049970)



Caps type A box 048935




Caps type F box 077119



Cooling liquid - Liquide de refroidissement - Kühlmittel - Enfriamiento líquido - Refrigeração líquida



Protection cover for BP & PTI 050853



SD CARD 050914



Mandrels for gun



GYRO 360° for PTI S-7 051720



Kit gun for PTI S-7 067318



2 L 082212




5 L 062511



10 L 052246



S1 < nov 2010 048171



S2 > nov 2010 048188




GYRO 360° for PTI S-7 051720



Kit gun for PTI S-7 067318




200 mm²
1.6 m



300 mm²
1m



10-14 kg



059696

GVSPOT
PTI-s7

14 500 A
550 daN

For mild steel, HSS, UHSS

Boron steel



FUSE 20 A



Double pressure



Ø 10 mm

9.9 kg
(included C1)

TRANSFORMER INSIDE

Liquid cooled

Traceability software

Save spot welding configuration and export data





C ARMS

9.9 kg



Convert PTI S-7 to Premium Pro

C ARMS

G ARMS

Kit Renov PTI Premium Pro

220V 072367

400V 072541

 MADE IN FRANCE	 62135				Spots/min (max)				Cables					
		50/60 Hz	A	A D curve		V								
GVSPOT BP.LX		3 x 400 V	13 000	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, liquid	—	2.5 m, air	8 m, 4x4 mm² H07RNF	65 x 80 x 205	164.5
GVSPOT PTI-s7		3 x 400 V	14 500	20 (14 kVA)	10	7.3	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4x4 mm² H07RNF	65 x 80 x 230	105.3
GVSPOT PTI-s7 220 V		3 x	200 V	12 500	40 (14-16 kVA)	6.5	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4xAWG8 (500W)	65 x 80 x 230	115.7
   			208 V	13 000		6.7								
			230 V	14 500		7.4								
			240 V	14 500		7.7								

GVSPOT BP / PTI

AIR / LIQUID COOLED

RESITANCE SPOT WELDING

BP GENIUS

MADE IN FRANCE



550 daN

LIQUID COOLED

REFROIDISSEMENT

LIQUIDE

Ø 10 mm

6.5 kg

(Gyro & G1 included)

OPTIONS

Caps type A box

048935

x40

(x6:049987)

Caps type F box

077119

x40

(x6:049970)

SD CARD

050914

2L 082212

5L 062511

10L 052246

Protection cover

- Housse de protection

- Schutzhaube

050853

for BP & PTI

059696

FAST OPEN XL

EASY

GYRO INTEGRATED

PERFECT ELECTRICAL CONNECTION

AUTO

GYSPOT

BP GENIUS

13 000 A

550 daN

For mild steel, HSS, UHSS

Boron steel

BP

BODYPROTECT

Unique electro-magnetic field protection by GYS

Traceability software

Save spot welding configuration and export data

	023451	082250
Gyspot BP GENIUS	400V	
Monopoint/Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
Caps remover 050846	▪	▪
Arm support	▪	▪
G1 022768	▪	▪
G2 + G3 + G4 022898	▪	▪
Liquid cooling (10L) 052246	▪	(x3)
Caps type A box 048935	▪	▪
Protection cover 050853	▪	▪

120 cm

Included Protection 067271

210 cm

80 cm

Included Cable support for BPLG ULTRA RESISTANT 059719

Gun & cable support

		RMS		Spots max	Uo	mm			Cables			100 % CU		
GYSPOT BP GENIUS 400V	3 x 400V	13000	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm ² , Liquid	2.5 m, Ø 150 mm ² air	8 m 4x6 mm ² H07RN-F	OK	65 x 80 x 205	171	

GYSPOT BP GENIUS

LIQUID COOLED

59

RESISTANCE SPOT WELDING

PTI MASTER

PTI EXPERT



GYRO INTEGRATED

PTI EXPERT only

TRANSFORMER INSIDE

MASTER 10.3 kg
(G1 included)

EXPERT 11.8 kg
(Gyro + G1 included)

LIQUID COOLED
Refrondissement liquide

FAST OPEN XL

PATENT PENDING
BREVET GYS
GYS PATENT

75 mm

G ARMS

EASY OPENNING

PERFECT ELECTRICAL CONNECTION

AUTOMATIC HYDRAULIC CONNECTION



OPTIONS

G-clamp front body + protection
084896

QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

Protection cover for PTI MASTER
062733

Protection cover for PTI EXPERT
050853

10-14 kg
059696

EASY CONNECTION

2L 082212
5L 062511
10L 052246

TRANSFORMER INSIDE

For mild steel, HSS, UHSS
Boron steel

Automatic Mode

3.5" colour screen

Traceability software

GYSPOT PTI MASTER

13000 A
550 daN

Liquid cooled : 5 litres

GYSPOT PTI EXPERT

14500 A
550 daN

Liquid cooled : 30 litres

	083264	087965	083257	087972	083943	088009	083950	088016
	400V		208-240V		400V		208-240V	
PTI-MASTER	■	■	■	■	■	■	■	■
Caps remover	■	■	■	■	■	■	■	■
G1	■	■	■	■	■	■	■	■
G2 + G3 + G4		■		■		■		■
G9						■		■

NEW 01/2025

4 m

ALL IN 1 BOX
MASTER

78.5 x 58.5 x 64 cm

LIQUID COOLING
5 Litres

(not included)

NEW 12/2024

5 m

Gyro included

LIQUID COOLING
30 Litres



(not included)

 MADE IN FRANCE	 CE NORMA 62135				Spots/min (max)	Uo	 mm		Cables						
		50/60 Hz	A	A D curve		V				 (option)	 (option)		cm	kg	
GYSPOT PTI MASTER 400V		3 x 400 V	13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4x4 mm ² H07RNF	63 x 76 x 127	58	
   		3 x	200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4xAWG8 (500W)	63 x 76 x 127	63
			208 V	11 300											
			230 V	12 500											
			240 V	13 000											
GYSPOT PTI EXPERT 400V		3 x 400 V	14 500	25	10	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4x4 mm ² H07RNF	65 x 100 x 230	109	
   		3 x	200 V	12 500	50	10	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4xAWG8 (500W)	65 x 100 x 230	119
			208 V	13 000											
			230 V	14 500											
			240 V	14 500											


FOR GYSPOT BP GENIUS, PTI NEO / MASTER / EXPERT / GENIUS

G Arms - Caps Ø13 mm


Bras isolés - Isolated arms - Isolierte Bügel





Option for G4



Option for G5






Option for G8



Option for G10 & G12



Kit de maintenance connecteurs pince G - Connectors maintenance kit for G clamp 067295





G X UNIQUE SYSTEM

BREVETÉ / PATENTED n° US 11,618,097

AUTOMATIC WELDING FOR X1, X2 & X6


G9 8 bar/550 daN not for PTI PREMIUM PRO / NEO pas compatible PTI PREMIUM PRO / NEO



Option SD card 050914


Option PCB 97449C

G ARMS PANELS








KIT SMALL ACCESS GENIUS for PTI GENIUS 077072

included SA 073579



ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G



CAP GRINDER - Affuteur de caps



GYRO 360°

for PTI-S7 051720



STEEL SHEET TRACTION BENCH

- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



WELD TEST KIT - Valise test soudure HLE / THLE - Schweißtestkit im Hartschalenkoffer

050433



ANTI-ARC PROTECTION 12V - Protection anti-arc 12 V - Lichtbogenschutz 12V - Protección anti-arco 12V



PROTECTION COVER - Housse de protection - Schutzhaube



SHEETS SET - Echantillons de tôles

Acier standard / Standard steel 0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25) + Alu 1 (x45) + 1.5 (x30) + 2 (x20) 055841



ELECTRODE FORCE SENSOR - Capteur d'effort



TANK DRAINING KIT - Kit de purge réservoir - Kit zur Tankentleerung



SD MEMORY CARD - Carte mémoire SD



COOLING LIQUID - Liquide de refroidissement - Kühlmittel - Enfriamiento líquido - Refrigeração líquida



FOR GYSPOT 32D-X, 100R-CX, BP-LX


550 daN

6,5 kg including X1


- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm




X Arms - Caps Ø13 mm




X ARMS
Ø 25 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518



X4 8 bar/120 daN
050532




X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719





X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587

X4 (A, B & C) combinations




X11 3 bar/150 daN
051607

X ARMS PANEL

X4A (x2) + X4B + X4C + X2
087798



X arms support
021471



Remote control (BP)



Digital screen control
Change Mode & Parameters



X clamp control




C clamp control



C ARMS PANELS



C2
+ C3
+ C4
060821



C10 +
C3 +
C5 +
C6 +
C9
= 076495

FOR GYSPOT PTI

550 daN

9,9 kg including C1

- DOUBLE PRESSURE
- AIR COOLED + LIQUID COOLED
DOUBLE REFRROIDISSEMENT
AIR + LIQUID
- Ø 10 mm




C Arms - Caps Ø13 mm


Bras isolés - Isolated arms - Isolierte Bügel




ELECTRICAL INSULATION




C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C2 8 bar/550 daN
022386




C6 8 bar/300 daN
022409



C3 8 bar/550 daN
021419



C7 8 bar/550 daN
021433



C4 8 bar/550 daN
021426


PTI arm support kit
077577




BP arm support kit
080089




Arm lock pin
062405




C8 8 bar/550 daN
021440




C11 8 bar/550 daN
053649




C9 8 bar/550 daN
020078



C12 8 bar/550 daN
022997




C10 4 bar/150 daN
051638




C14 8 bar/400 daN
023543

5,7 kg
22% saved

Option for C7



Option for C9 & C14





RIVETING



GYSPRESS



Youtube



GYSPRESS 10T

6.5 bar 100 kN

10t

063303

070653



US version
070653



Pressure gauge
Psi



Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse - Regelung
Werkzeuggeschwindigkeit





Pressure control
- Contrôle de la pression - Druckregelung



UNIQUE
100%
No air inclusion
maintenance free, no oil refill

GYSPRESS 10T COMPLETE PACKS

		 HR110 063310	 XT11.21 Extension for HR110 & HR210 058644	 Standard 10T tool box 053694	 6 x 50 rivets RAP - Nieten SPR 048706			
						HR210 + HR310 064089	24kN adapter 063822	Trolley+support 055391
GYSPRESS 10T 063303	✓	✓						
 070653								
 085091								
GYSPRESS 10T pack 1 066441	✓	✓						
GYSPRESS 10T pack 2 082991	✓					✓		
GYSPRESS 10T pack 3 064744	✓	✓						✓

 MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL				
				cm	kg	LxWxH cm / kg	
GYSPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+↩-	39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1	



	HR110	HR210	HR310
	063310	063327	8T PP/10T/10T PP 063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓




KIT WITH HR210
+ HR310
064089

XT31-40
Rallonges bras HR310
pour point milieu
- HR310 arm extension
for middle point

Compatible
8T PP/10T/10T PP
x2

066335



OPTIONS



Riveting machine support for changing
accessories (arms & dies)
- Support Riveteuse pour changements
d'accessoires (bras & matrice)
- Supportständer

↕ 28 x 40 x 21,5 cm
⊗ 45 x 39 x 20 cm / 7,2 kg

054158



Trolley - Chariot

↕ 74 x 51 x 81 cm
⊗ 80 x 123 x 15 cm / 44 kg

054233



Trolley + Support
Chariot + Support

↕ 51 x 74 x 122 cm
⊗ 51,2 kg

055391




Pressure sensor
- Capteur d'effort
062115



Hydraulic body wrenches
(x2)
067325



Temporary - Serre-tôles - fasteners manual
mounting



GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS

	 HR110 063310	 XT11.21 - Extension for HR110 & HR210 058644	 14 Standard 10T tool box 058361	 6 x 50 rivets RAP - Nieten SPR 048706	 HR210 + HR310 064089	 24kN adapter 063822	 Trolley+support 055391
GYSPRESS 10T PREMIUM PUSH PULL 077065	✓						
070660							
GYSPRESS 10T PPP pack 1 082519		✓					
GYSPRESS 10T PPP pack 2 082526			✓				
GYSPRESS 10T PPP pack 3 082533		✓					✓



GYPRESS

PREMIUM

PUSH PULL

GYSPRESS PREMIUM
10T PUSH PULL

6.5 bar 100 kN

10t

077065

070660



US version
070660



Pressure gauge
Psi



UNIQUE
100%
No air inclusion
maintenance free, no oil refill

NEW



Option
Hydraulic pump removal tool -
Outil de démontage de pompe
hydraulique
086852

UNIQUE
PUSH PULL SYSTEM by GYS

AUTO
or MANUAL


← PUSH

PULL →



LARGE OPENING

MORE
ACCESS



48.5 mm
(no dies)
23.5 mm
with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK
FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic
selection
- Sélection Manuel/
Automatique

OPENING
CONTROL



Pressure control
- Contrôle de la
pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werk-
zeuggeschwindigkeit

	AIR BAR	PRESSURE CONTROL	SPEED CONTROL			
MADE IN FRANCE				cm	kg	LxWxH cm / kg
GYSPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	↔	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1



GYPRESS

SYNERGIC RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

ACCESSIBILITY

16 languages



★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results




3 MODES

- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY


- ✓ VW GROUP
- ✓ MERCEDES-BENZ
- ✓ BMW
- ✓ TESLA
- ✓ FERRARI
- ✓ FORD
- ✓ RENAULT ALPINE
- ✓ GM

CONNECTIVITY




TRACEABILITY

History data export



SOFTWARE UPDATE


Gyspress evolutions



UNIQUE
**PUSH
PULL**
SYSTEM by GYS

PUSH PULL SYSTEM by GYS

← PUSH



PULL →



Sélection Push/Pull - Push/Pull selection




Gyspress support



Arms support



✓
**REGULATED
PRESSURE
CONTROL**
**POWER
10t**



Discharge lever
- Levier de décharge
- Auslösehebel

WORKSTATION
GYSPRESS 10T PP CONTROL

6.5 bar 100 kN

10t

063860

included



 MADE IN FRANCE WORKSTATION GYSPRESS 10T PP CONTROL		AIR BAR	PRESSURE CONTROL	SPEED CONTROL		LxWxH cm / kg
						LxWxH cm / kg
	230 V	6,5 bar = 10 t (maxi 10 bar)	0 > 6,5 bar		74 x 50 x 116 / 54	76 x 42 x 94 / 64,4

OPTIONS

**Pressure gauge
- Capteur d'effort**
10T PP CONTROL
071759



Youtube

**Hydraulic body wrenches
for GYSPRESS 10T, 10T
PushPull, 10T PP CONTROL
(x 2)**
067325

**Hydraulic pump
removal tool**
086852



GYSPRESS CONTROL

SYNERGIC RIVETING

75

BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES

GYPESPRESS

Adaptators

Compatibility

GYPESPRESS 10T
GYPESPRESS 10T PUSH PULL
GYPESPRESS 10T PUSH PULL PREMIUM
GYPESPRESS 10T CONNECT



Youtube

BLIND RIVET ADAPTER 24 kN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm
063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



INCLUDED

058446 for standard rivets:
Ø 3.2 x1 059221 Ø 4.0 x1 059245
Ø 3.6 x1 059238 Ø 4.5 x1 059252

24 kN COMPACT 600 mm
077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD




INCLUDED

058446 for standard rivets:
Ø 4.5 x1 081222
Ø 5.2 x1 079939

OPTION

for extraction of self piercing rivet:
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY




SPECIFIC STORAGE



PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN
064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox 059634	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	Mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
x100	x1	x1	x1	x1	x1

BLIND RIVET ADAPTER 50 kN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



50 kN 1 m
064867
4.0 kg

For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



Complete kit



OPTIONS

Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm nozzle-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN
073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50kN Ø 5 066151
x100	x1	x1	x1	x1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700
068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50kN Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641	Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
x100	x1	x1	x1	x1	x2	x1	x1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



Blind rivet nuts - Écrous à sertir	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
x50	066175	x50 066182	x50 066199	x50 066205	x50 066212	x10 066229
+ demo metal sheet - plaque de démonstration	x10	x10	x10	x10	x10	x5

Blind rivet bolts - Goujons à sertir	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
x50	066236	x50 066243	x50 066250
+ demo metal sheet - plaque de démonstration	x10	x10	x10

Blind rivets - Rivets aveugles	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
x50	066267	x50 066274
+ demo metal sheet - plaque de démonstration	x10	x10

ADAPTERS

RIVETING

77

GYS

76

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen

2.0 < 6.5 mm 3 < 5.8 bar

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen

2.3 < 8.3 mm 5.3 < 8 bar

Application of Flow-form rivets
- Pose de rivets Flow-Form
- Setzen v. Fließformnieten

2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen

2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping -
Perçage et formage des tôles pour rivets
pleins - Vollniet-Lochstanzen/Prägen

2.3 < 8.3 mm 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD

STANDARD 8T/10T
for **8T** **10T**
053694

x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x2	x4		
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2					
Self-piercing rivets				Flow-form rivets		Extraction		Punching							
Ø 3.2 > 3.5 Ø 3.3 Ø 5 > 5.3 Ø 5.3				Ø 6 - A1/2/3 S0/1/2/3/4/5/6		— Ø 3.3 > 4.8 Ø 3.9 > 5.3		Ø 6							

STANDARD 8T/10T PUSH PULL
for **8T PP** **10T PP** **10T CONTROL**
058361

Included **XT31-60**
- 60 mm extension for HR310
(use with ST1, T5, T7) 057135

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x2	x4		
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7				
Self-piercing rivets				Flow-form rivets		Extraction		Punching							
Ø 3.2 > 3.5 Ø 3.3 Ø 5 > 5.3 Ø 5.3				Ø 6 - A1/2/3 S0/1/2/3/4/5/6		— Ø 3.3 > 4.8 Ø 3.9 > 5.3		Ø 6							

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure
Ø 6.4 mm

KIT RMB PP05
for **10T PP** **10T CONTROL**
066366

x1	x1	x1													
ST3	T12	T13													
Punching															
Ø 6.7															

Ideal for UHSS, Boron - Idéal aciers durs, Boron

HIGH pressure
Ø 6.4 mm

KIT RMB 08 PREMIUM
for **10T** **10T PP** **10T CONTROL**
066403

x1	x1	x1													
T14	T15	T16													
Punching															
Ø 6.7															

BREVET GYS / GYS PATENT
n° US 11,712,732

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM
for **10T** **10T PP** **10T CONTROL**
071186

x1	x1	x1													
T17	T18	T19													
Punching															
Ø 6															

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM
for **10T** **10T PP** **10T CONTROL**
071193

x1	x1	x1													
T20	T21	T22													
Punching															
Ø 8															

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM
for **10T** **10T PP** **10T CONTROL**
080867

x1	x1	x1													
T23	T24	T25													
Punching															
Ø 10															

GM

RMB 11 for **10T**
071087

RMB PP04 for **10T PP** **10T CONTROL**
071063

Included **XT31-60**
- 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4	
F1	F2	F6	E9	E11	T1	T2	—	—	—	T7	T17	T18	T19	D18	D17	
Flow-form rivets			Extraction		Punching											
Ø 6			Ø 6 > 8		Ø 6											

FERRARI

RMB 06
for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
059009

x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x2	x4	
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13				
Self-piercing rivets			Extraction		Punching								
Ø 3.9 Ø 4.75 Ø 3.9 Ø 4.75			— Ø 3.3 > 4.8 Ø 3.9 > 5.3 Ø 4.75										

VW GROUP

RMB 03 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
054257

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4							
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16
Self-piercing rivets				Solid rivets		Extraction										Punching								
Ø 3.2 > 3.5 Ø 5 > 5.3 Ø 3.9 Ø 4.75				Ø 4 Ø 6		Ø 3.2 Ø 5.3 Ø 3.9 > 5.3 Ø 3.2 Ø 5.3 Ø 8 Ø 4.8 Ø 4 > 8 Ø 4 Ø 6																		

NIO

RMB PP08 for **10T** **10T PP** **10T CONTROL**
072404

Included **XT31-60**
- 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x1	x2	x4	
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18	
Self-piercing rivets		Flow-form rivets		Extraction				Punching									
Ø 5.3 Ø 5.3		Ø 6		Ø 5.3 Ø 6				Ø 6									

MERCEDES-BENZ

RMB 07 for **10T**
064454

Included **XT31-60** - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F45	F5	E9	E10	E11	T1	T2	T3	T4		
Flow-form rivets					Extraction		Punching					clé -key	
Ø 6 - A1/2/3 S0/1/2/3/4/5/6					S28/38/48/58/68 S08/18		Ø 6 > 8 Ø 8 Ø 6		Ø 6 Ø 8				

RMB PP01 for **8T PP** **10T PP** **10T CONTROL**
058378

Included **XT31-60** - 60 mm extension for HR3

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	
F1	F2	F3	F45	F5	E9	E10	E11	ST1	ST2	T5	T7	T8	T10		
Flow-form rivets					Extraction		Punching							clé -key	
Ø 6 - A1/2/3 S0/1/2/3/4/5/6					S28/38/48/58/68 S08/18		Ø 6 > 8 Ø 8 Ø 6		Ø 6 Ø 8 Ø 6 Ø 8 Ø 8 Ø 8						

FORD

RMB PP02 for **10T** **8T PP** **10T PP** **10T CONTROL**
058835

Included **XT31-60** - 60 mm extension for HR3 (use with E7 & E12) 057135

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	G1	G2	G3	G4	G5	G6	E7	E12					
Self-piercing rivets								Extraction		key - clé seals - joints			
Ø 5 > 5.3								Ø 5 > 5.3					

JAGUAR / LAND ROVER

RMB 02 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
054271

x1	x1	x1	x1	x1	x2	x1	x2	x4
B1	B2	B3	S8	D17	E1	E6		
Self-piercing rivets				Extraction		clé -key seals - joints		
Ø 5 > 5.3 Ø 5.3 Ø 4.8 Ø 4.75				Ø 3.3 > 4.8 Ø 3.3 > 4.8				

BMW

RMB 01 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
054240

x1	x1	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	E1	E2		
Self-piercing rivets				Extraction		key - clé seals - joints	
Ø 3.2 > 3.5 Ø 3.3 Ø 5 > 5.3 Ø 5.3				Ø 3.3 > 4.8 Ø 3.9 > 5.3			

RMB 12 for **10T**
071094

RMB PP07 for **10T PP** **10T CONTROL**
071070

Included **XT31-60** - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4		
B1	B3	I1	I2	I3	F1	F2	F6	E3	E13	T1	T2	—	ST1	T5	T7	T17	T18	T19	D18	D17	
Self-piercing rivets					Flow-form rivets			Extraction		Punching										key - clé seals - joints	
Ø 5 > 5.3					Ø 6			Ø 3.3 > 4.8 Ø 9		Ø 6											

PORSCHE

RMB 10 for **10T**
069299

RMB PP06 for **10T PP** **10T CONTROL**
069305

Included **XT31-60** - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4		
B3	F2	E9	E11	—	T2	—	T5	ST1	T7	—	—	T17	T18	T19	D17	
Flow-form rivets			Extraction		Punching										key - clé seals - joints	
Ø 6			Ø 6 > 8		Ø 6											

TESLA

RMB 09 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
059931

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
B1	H1	H2	H3	H4	H5	H6	H7	H8						
Self-piercing rivets													key - clé seals - joints	
Ø 5 > 5.3 Ø 5.3														

RMB 13 for **10T**
071100

RMB PP03 for **8T PP** **10T PP** **10T CONTROL**
059092

Included **XT31-60** - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x1	x1	x2	x4	
B1	S7	S8	F3	F45	F5	D17	E2	E3	E9	E10	—	—	—	T3	T4	
Self-piercing rivets				Flow-form rivets			Extraction				Punching				key - clé	
Ø 5 > 5.3 Ø 4.75				S28/38/48/58/68 S08/18			— Ø 3.9 > 5.3 Ø 5.3 > 8 Ø 6 > 8 Ø 8				Ø 8 Ø 8 Ø 8					



P GYS AUTO

MIG/MAG PULSE SYNERGIC

Lastest generation
colour screen 3.5"

EASY



16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EXPERT

Pre-gas / Creep speed/ Hotstart /
Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection -
Protection d'écran
- Bildschirmschutz
079885

MODES

EASY

SYNERGIC STANDARD
SYNERGIC PULSE

NEW

PULSE IN PULSE

EXPERT

MANUAL
SYNERGIC STANDARD
SYNERGIC PULSE

NEW

PULSE IN PULSE

SYNERGIES

STEEL - ACIER

ALU

STAINLESS STEEL - INOX

BRAZING - BRASAGE

+40 SYNERGIES

TORCH

2T

4T

SPOT

SPOT DELAY

FONCTIONS

TRACEABILITY

PORTABILITY

+500 JOBS can be saved

UPDATES



EASY USB
UPDATE

USB key 16 Gb
062344




P1 GYS AUTO

10 220 A

230V 1~

PFC

with accessories :



080584


P1 GYS AUTO 208-240V

10 220 A

208>240V 1~

PFC

with accessories :



080911



1 x

P1 GYS AUTO 220 A • × 1


P2 GYS AUTO

10 220 A

230V 1~

PFC

with accessories :



083134


P2 GYS AUTO 208-240V

10 220 A

208>240V 1~

PFC

with accessories :



083189

OPTION



Protection cover for 2-torch & 3-torch
generator 052260



2 x

P2 GYS AUTO 220 A • × 2

P3 GYS AUTO

10 220 A

230V 1~

PFC

with accessories :



080591

P3 GYS AUTO 208-240V

10 220 A

208>240V 1~


PFC

with accessories :



080928

Cable support P2/P3
077300



3 x

P3 GYS AUTO 220 A • × 3

OPTION

Protection cover for 2-torch & 3-torch
generator 052260



P GYS AUTO

PULSE SYNERGIC MIG

GMW
FCW

87

 MADE IN FRANCE	 60974/1									EN60974-1 (40°C)			Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica				 Protected & compatible power generator (+/-15%)
			50/60 Hz	A		A	200	300					Electronic Control	IA (60%)	X% (I2 max)		
■	P1 GYS AUTO		230 V 1 ~	16	6 m	10 + 220	■	■	1 x 	150	220 A @ 20 %	0.6 + 1.2	Alu Type B 1.0/1.2			78 x 45 x 80 / 45	9KVA
■	P1 GYS AUTO 208-240V		208 > 240 V 1 ~	16		150	220 A @ 20 %	78 x 45 x 80 / –	9KVA								
■	P2 GYS AUTO		230 V 1 ~	16	6 m	10 + 220	■	■	2 x 	150	220 A @ 20 %	0.6 + 1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0		86 x 63 x 93 / 58	9KVA
■	P2 GYS AUTO 208-240V		208 > 240 V 1 ~	16		150	220 A @ 20 %	86 x 63 x 93 / –	9KVA								
■	P3 GYS AUTO		230 V 1 ~	16	6 m	10 + 220	■	—	3 x 	150	220 A @ 20 %	0.6 + 1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0	Steel Type B 0.6/0.8	86 x 63 x 93 / 62	9KVA
■	P3 GYS AUTO 208-240V		208 > 240 V 1 ~	16		150	220 A @ 20 %	86 x 63 x 93 / –	9KVA								



AUTOPULSE

MIG/MAG DOUBLE PULSE SYNERGIC

Latest generation
colour screen 5"
800 x 480 (WVGA)



Youtube

EASY



3 INTERFACE LEVELS

EXPERT

Pre-gas / Hot Start / Upslope / Downslope /
Crater filler / Post-gas



ADVANCED

Arc length adjustments




ACCESSIBILITY

3 interface levels

- EASY
- EXPERT
- ADVANCED

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish



AUTOPULSE 220-M3

1	Ø 200		PP
2	Ø 200		-
3	Ø 200		-



BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1




8 m



220 A • x 3

PFC POWER FACTOR CORRECTION



T E S L A
A P P R O V E D
COLLISION TOOLS, EQUIPMENT & CONSUMABLES

AUTOPULSE 220-M3

10 220 A

230V 1~

PFC

with accessories:



036703


AUTOPULSE 220-M3 208-240V

10 220 A

208>240V 1~

PFC

with accessories:



062481


OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283



MB 15 / MB 25
(250 A)
077089




Protection cover
- Housse de protection
- Schutzhaube
052260

500+ JOBS can be saved



TRACEABILITY



PORTABILITY



MODES

DYNAMIC STANDARD

PULSE


PULSE IN PULSE

MANUAL

COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS



65+ SYNERGIES

Find all the synergies:
Retrouvez toutes les synergies:
Finde alle Synergien:




STEEL

Cu Si 3 / Cu Al 8

ALU

UPDATES

EASY USB UPDATE



MADE IN FRANCE EN60974-1	50 / 60 Hz	A	Ø mm	min → max	SPOOLGUN	PUSH/PULL	Ø mm	Cooling system	Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica	EN60974-1 (40°C)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M3	230 V · 1 ~	8 m	16	0.6 → 1.2	10 → 220	-	OPTION	■	Air	ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V	208 > 240 V · 1 ~	8 m	16	0.6 → 1.2	10 → 220	-	OPTION	■	Air	ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	75 x 41 x 94 / 80	10 kVA

AUTOPULSE

INVERTER PULSE MIG 1

89

88

MIG/MAG

DOUBLE PULSE
SYNERGIC


BODYSHOP SPECIFIC

COLD PULSE

CuSi3 Ø 0.8 / 1

AUTOPULSE 320-T1				AUTOPULSE 320-T3				AUTOPULSE 320-T3 208-240V			
1				1				1			
2	-	-	-	2				2			-
3	-	-	-	3			-	3			-

ELECTRONIC



AUTOPULSE 320-T3

15320 A400 V 3~

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 072138 + Alu 250 A, 3 m, air Ø 1.2 072138

067615

AUTOPULSE 320-T3 208-240V

15320 A208>240 V 3~PFC

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 072138 + Alu 250 A, 3 m, air Ø 1.2 072138

036970



AUTOPULSE 320-T1

15320 A400 V 3~

with accessories :


4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 072138 + Alu 250 A, 3 m, air Ø 1.2 072138

069831

OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283



Motor inside

Torch gas flow-meter
- Débitmètre de bout de torche

053939



MB 15 / MB 25
(250 A)
077089

x5 (Mg-Ø 0.6)
x5 (Mg-Ø 0.8)
x5 (Mg-Ø 1.0)
x5 (Mg-Ø 0.8)
x5 (Mg-Ø 1.0)
x5 (Alu - Mg-Ø 1.0)
x5 (Alu - Mg-Ø 1.2)

Protection cover
- Housse de protection
- Schutzhaube
052260



320 A •  x 1

320 A •  x 3

OPTION

for AUTOPULSE 320-T3 (400 V) only


SPOOLGUN TORCH

Ideal Alu

 Ø 0,8

 Ø 100

4 m
041486




Motor inside

AUTOPULSE

INVERTER PULSE MIG 3~

- Torches manuelles - Brenner
- Antorcha - Lastoort - Tocha



PUSH PULL

for AUTOPULSE




Ideal for

- Steel / Acier / Stahl
- Stainless steel / Inox
- Alu




Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl							ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
	X % 40°C, ArCo ₂	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø 0.8	M6 Ø 1.0	M6 Ø 0.8	M6 Ø 1.0	M8 Ø 1.2	M6 Ø 1.2	M6 Ø 0.8	M6 Ø 1.0	M6 Ø 1.2	M8 Ø 1.2	M6 Ø 1.2	M6 Ø 1.2	M6 Ø 0,8
	3 m	3 m	3 m	3 m	4 m	3 m	3 m	3 m	3 m	3 m	3 m	4 m	4 m
	063754	072121	072145	072152	063792	040694	063761	063785	072138	063808	040748	046283	041486
	3 m			4 m	3 m	4 m	3 m	4 m			4 m		
	Flexible 082151			063778	040687	043275	041462	040939			043282		
	3 m			3 m	4 m								
	043251			040540	040557								

041332



041806




041806



041653



Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos



Tip adaptors & diffusers - Supports tube contact & diffuseurs

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN
	AIR			LIQUID	AIR			LIQUID	AIR		AIR
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	A1 (x5)
	042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902
+	+	+	+	+	+	+	+	+	+	+	+
	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	A2 (x10)
	042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988

Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto

	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
Ø0.6	A (x10)	A (x10)	—	A (x10)	—	—	—	—	—	—	—
	041905	041905		041905							
Ø0.8	A (x10)	B (x10)	C (x10)	B (x10)	B (x10)	A (x10)	—	B (x10)	B (x10)	B (x10)	B (x10)
	041912	041950	041790	041950	041059	041059		041059	041059	041059	041059
Ø1.0	A (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	B (x10)
	041929	041967	419803	041967	041066	041066	419766	041066	041066	041066	041066
Ø1.2	A (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	C (x10)	B (x10)	B (x10)	B (x10)	B (x10)
	040144	041974	419810	041974	041073	041073	419773	041073	041073	041073	041073
Ø1.4	—	—	C (x10)	—	—	—	—	—	—	—	—
			419827								
Ø1.6	—	—	C (x10)	—	—	—	C (x10)	—	—	—	—
			419834				041080				
Ø2.4	—	—	C (x10)	—	—	—	—	—	—	—	—
			040533								

Gas nozzles - Buses - Düsen - Turbo - Nippel - Bicos

[illegible]

- Cajas - Kistjes - Estojos



 x 3	 x 5	 M6-Ø0.6 x 5  M6-Ø0.8 x 5  Alu-M6-Ø0.8 x 5	 x 3	=	MB 15 (150 A) 041226
 M6-Ø0.6 x 5  M6-Ø0.8 x 5  Alu-M6-Ø1.0 x 5	 M6-Ø0.8 x 5  M6-Ø1.0 x 5  Alu-M6-Ø1.0 x 5  Alu-M6-Ø1.2 x 5	—	—	=	MB 15 / MB 25 077089
 x 5	 x 3	 M6-Ø0.8 x 5  M6-Ø1.0 x 5  Alu-M6-Ø1.0 x 5	 x 3	=	MB 25 (250 A) 041233
 x 2	 x 3	 M6-Ø1.0 x 5  M6-Ø1.2 x 5  Alu-M6-Ø1.0 x 5  Alu-M6-Ø1.2 x 5	 x 2	=	MB 36 (350 A) 041417

CONSUMABLES - Consommables

TORCH LINERS - Gainses - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço			
Ø 0.6 / 0.8	3 m	041592	
	4 m	041837	
Ø 1.0 / 1.2	3 m	041608	
	4 m	041844	
	5 m	062276	
Ø 1.2 / 1.6	3 m	418417	
	4 m	418424	
	5 m	062283	
Ø 1.6 / 2.4	4 m	040526	
	5 m	062290	

TEFLON			
Ø 0.6 / 0.8	3 m	041578	
	4 m	044050	
Ø 1.0 / 1.2	3 m	041585	
	4 m	044067	
	8 m	038677	
Ø 1.2 / 1.6	4 m	044074	
			
Guide gaine téflon pour motodévidoir 079601			

CARBON			
Ø 0.6 / 0.8	4 m	039834	
	5 m	062306	
Ø 1.0 / 1.2	4 m	039827	
	5 m	062313	
Ø 1.2 / 1.6	4 m	039810	
PUSH PULL TORCH			
Ø 1.0 / 1.2	8 m	038172	

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A			
For : Carmig			
			
Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346
			

TYPE B			
For : Autopulse 220, Autopulse 320-T1, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto			
			
	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
Steel, Stainless steel - Acier, Inox		x 1	042100
	Ø 0.8 / 1.0	x 2	042360
		x 1	042179
	Ø 1.0 / 1.2	x 2	046849
		x 2	042384
		x 1	042155
Alu	Ø 0.8 / 1.0	x 2	042377
		x 1	042186
	Ø 1.0 / 1.2	x 2	040915
	Ø 1.2 / 1.6	x 2	042391
		x 1	042131
	Ø 0.9 / 1.2	x 2	042407

TYPE C			
For : Neopulse - Autopulse 320-T3			
			
	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
Steel, Stainless steel - Acier, Inox	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240



=



Ø 0.9 1.0 / 1.2 (x1) Type A

+



M6-Ø0.9 (x3)

+



Isolated Nozzle No Gas - 150 A (x1)

For : Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2

PRESSUR-REGULATORS - Manomètres-débitmètres - Druckminderer



15 l/min

(FR) 041998
(UK) 040274
(NL) 040267
(IT) 038691



30 l/min

(FR) 041622
(UK) 041646
(DE) 041219
(NL) 041615
(IT) 038707

GAS CONNECTORS - Raccordi gaz - Gasanschlüsse



x2 045712




Ø 8 Ø 7 x1 046245



x1 067936



Tuyau caoutchouc- Rubber hose Ø 6.3 X 13 (EN ISO 3821)
1.5 m 066670
4 m 046269
3 x m 046276



Optima Pro 30 l/min

(FR) 043619
(UK) 043626
(DE) 043633
(NL) 043640



Torch gas flow-meter - Débitmètre de bout de torche 053939

WELDING WIRE REELS - Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobbijn - Bobines de fio

STEEL - Acier - Stahl - Acero - Staal - Aço			
SG2			
Norms : AWS 5.18 : ER 70S-6 ; EN ISO 14341-A : G46 4MG3Si1 ; DIN 8559 : SG2			
100 mm 0.9 kg	Ø 0.6	086593	
	Ø 0.8	086609	
200 mm 5 kg	Ø 0.6	086111	
	Ø 0.8	086128	
	Ø 1.0	086135	
300 mm 15 kg	Ø 0.6	086166	
	Ø 0.8	086227	
	Ø 0.8 ECO	086272	
	Ø 1.0	086234	
	Ø 1.0 ECO	086289	
	Ø 1.2	086241	
300 mm EXCELLIUM 15 kg	Ø 1.2 ECO	086296	
	Ø 1.0 ECO	086302	
	Ø 1.2 ECO	086319	

BRAZING - Brasage			
CuAl8 HLE - UHTS (Boron Steel)			
Norms : AWS 5.7 : ER CuAl-A1 ; EN ISO 14640 : S Cu 6100 ; DIN 1733 : SG-CuAl8			
200 mm 2 kg	Ø 0.8	077409	
200 mm 5 kg	Ø 0.8	086661	
	Ø 1.0	086197	
300 mm 15 kg	Ø 1.0	086180	

STAINLESS STEEL - Inox - Edelstahl			
CrNi (316LSi)			
Norms : AWS 5.9 : ER 316L Si ; EN ISO 14343-A : G19 12 3 L Si ; DIN 8556 : SG X2 CrNiMo 19 12			
200 mm 5 kg	Ø 0.8	086326	
	Ø 1.0	086364	
	Ø 1.0	086371	

ALUMINIUM			
AlSi5			
Norms : AWS 5.10 : ER 4043 ; EN ISO 18273 : S Al 4043-A ; DIN 1732 : SG-AlSi5			
100 mm 0.5 kg	Ø 0.8	086685	
	Ø 0.8	077133	
200 mm 2 kg	Ø 1.0	086142	
	Ø 1.2	086159	
	Ø 1.2	086159	
AlSi12			
Norms : AWS 5.10 : ER 4047 ; EN ISO 18273 : S Al 4047 ; DIN 1732 : SG-AlSi12			
100 mm 0.5 kg	Ø 0.8	086678	
200 mm 2 kg	Ø 0.8	077140	
	Ø 1.0	086067	
	Ø 1.2	086074	
300 mm 7 kg	Ø 1.2	086043	

SG1			
Norms : AWS 5.18 : ER 70S-3 ; EN ISO 14341-A : G42 2MG2Si1 ; DIN 8559 : SG1			
200 mm 5 kg	Ø 0.6	086418	
	Ø 0.8	086401	
CrMo2Si			
Norms : AWS 5.28 : ER 90S-B3 ; EN ISO 2195L-A : Cr CrMo2Si			
300 mm 15 kg	Ø 0.8	086258	
UHSS			
Norms : AWS ASME SFA-5.28 : ER 120 S-G ; EN ISO 12534 : G Mn4Ni2, 5CrMo			
200 mm 5 kg	Ø 0.8	086203	
Hardfacing - Rechargement Acier 60 HRC			
Norms : EN 14700 : TZ Fe 2 ; DIN 8555 : MSG 6-CF-60			
300 mm 16 kg	Ø 1.2 ECO	086173	

CuSi3 HLE - UHTS (Boron Steel)			
Norms : AWS 5.7 : ER CuSi-A ; EN ISO 14640 : S Cu 6560 ; DIN 1733 : SG-CuSi3			
100 mm 1 kg	Ø 0.8	086692	
200 mm 2 kg	Ø 0.8	077393	
200 mm 5 kg	Ø 0.8	086647	
	Ø 1.0	086654	
200 mm EXCELLIUM 5 kg	Ø 0.8	086210	

CrNi (308LSi)			
AWS 5.9 : ER 308L Si ; EN ISO 14343-A : G19 9 L Si ; DIN 8556 : SG X2CrNi 19 9			
100 mm 1 kg	Ø 0.8	086616	
200 mm 5 kg	Ø 0.8	086579	
	Ø 1.0	086340	
300 mm 15 kg	Ø 1.0	086357	

AlSi10Cu4			
Norms : AWS 5.10 : ER 4145 ; EN ISO 18273 : S Al 41			
200 mm 2 kg	Ø 1.2	073432	
AlMg5			
Norms : AWS 5.10 : ER 5356 ; EN ISO 18273 : S Al 5356 ; DIN 1732 : SG-AlMg5			
100 mm 0.5 kg	Ø 0.8	086548	
200 mm 2 kg	Ø 0.8	086555	
	Ø 1.0	086562	
300 mm 7 kg	Ø 1.0	086524	
	Ø 1.2	086531	
	Ø 1.0 ECO	086487	
300 mm EXCELLIUM 7 kg	Ø 1.2 ECO	086494	

Cored wire - Fil fourré - Fülldraht - Hilo tubular			
Norms : AWS 5.20 : E71T-GS ; EN ISO 17632-A T42 Z W N 1 H15			
100 mm 0.9 kg	Ø 0.6	086425	
	Ø 0.9	086104	
200 mm 4.5 kg	Ø 0.9	086265	
	Ø 1.0	086623	
	Ø 1.2	086630	
300 mm 15 kg	Ø 1.0	086388	
	Ø 1.2	086395	
Galva (G2Ti)			
Norms : AWS 5.18 : ER 70S-2 ; EN ISO 14341-A : G42 2 M G2Ti ; DIN 8559 : SG2			
200 mm 5 kg	Ø 0.6	086760	
	Ø 0.8	086777	

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter

ALIGNER 200 042889



Ø 200

After sales



Professional 71608



Industrial 71613

AlMg2.7Mn			
Norms : AWS 5.10 : ER 5554 ; EN ISO 18273 : S Al 5554 ; DIN 1732 : SG-AlMg			
200 mm 2 kg	Ø 1.2	086517	
300 mm 7 kg	Ø 1.2	086500	

Thickness measurement tools (x3) - Jauges d'épaisseur (x3) - Dickenessgeräte (x3) 071414

0.6 > 8 mm



95

ACCESSORIES & CONSUMABLES

94



PLASMA CUTTING

EASycut K	97
EASycut	98
CUTTER	99



EASycut K

PLASMA

COMPRESSOR INSIDE • 1~

Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775



■ ■ ■ EASycut K25

230 V • 1 ~ 25 A Fe 8 mm
Al/CrNi 6 mm

P400 COMPRESSOR




TPT 25, 4 m 068087 2 m, 10 mm²
068063



Youtube

COMPRESSOR

COMPRESSOR
INSIDE



Youtube

ULTRA
LIGHT &
COMPACT



INTEGRATED
AIR FILTER
+
AUTOMATIC
DRAIN


PFC
EN 61000-3-12
POWER FACTOR
CORRECTION



■ ■ ■ EASycut K35 PFC

230 V • 1 ~ 35 A Fe 15 mm
Al/CrNi 10 mm

P400 PFC AD COMPRESSOR



TPT35, 4 m 080775 2 m, 10 mm²
080768

TPT35, 4 m 2 m, 10 mm² Box TPT35 080782 UNIVERSAL 800 051331
080805

OPTIONS

Consumables

					Boxes - Coffrets
for TPT25	x4 040236	x10 040212	x2 040175	x10 040168	039971
	x1	x1	x1	x1	
for TPT35	x4 040182	x10 080799	x2 040175	x10 040168	080782
	x1	x1	x1	x1	

Compas
040205



x1
040199
R max = 670 mm



PLASMA 600
040298
↓ 39 x 58 x 62 cm / 8.2 kg
⊗ 63 x 30 x 11 cm / 8.8 kg



Universal 800
051331
↓ 48 x 62 x 81 cm / 17.6 kg
⊗ 81 x 52 x 15 cm / 18.1 kg

 MADE IN FRANCE CE NORM EN60974-1			I ₂	 mm				INTEGRATED TECHNOLOGY				AIR SYSTEM			EN 60974-1 (40°C)					Protected & compatible power generator (+/-15%)
				Coupe max Severance cut	Coupe propre Clean cut	Percage Piercing		P400	PFC	AD	IP23	min	ideal	max	I 60%	X% I2 max	100%			
EASycut K25	230V 1~	16	10 → 25	8	6	6	4	4	2	■	—	—	—	■	included	15 A	35%	—	53 x 31 x 48 / 19	6.5 kW 7.5 kVA
EASycut K35 PFC	230V 1~	16	10 → 35	15	10	10	8	6	5	■	■	■	■	■	included	26 A	30%	—	45 x 26 x 36 / 27	8 kW 10 kVA

EASycut K

PLASMA CUTTING



PLASMA





1~



Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753




EASYCUT 25

230 V • 1 ~ 25 A Fe 8 mm
Al/CrNi 6 mm



065543
072046



IDEAL
CARBODY REPAIR




EASYCUT 30 FV

110 → 230 V • 1 ~ 30 A Fe 15 mm
Al/CrNi 10 mm




013858




EASYCUT 40

230 V • 1 ~ 40 A Fe 18 mm
Al/CrNi 15 mm



029743



DIGITAL
(PRESSURE SENSOR)



CUTTER 45 CT

110 → 230 V • 1 ~ 45 A Fe 30 mm
Al/CrNi 20 mm



014787

013629



062962

COMPAS
for TPT 40, TPT 25, TPT 35,
MT 25K / MT 35K
x1
040199




Consumables

	MT25K	TPT25	MT35K	TPT35	TPT40
	x4 040182	x4 040182	x4 040229	x4 040182	x4 040236
	x10 040151	x10 040212	x10 040212	x10 080799	x10 040212
	x2 040175	x2 040175	x2 040175	x2 040175	x2 040175
	x10 040168	x10 040168	x10 040168	x10 040168	x10 040168
Boxes - Coffrets	039971	070721	039964	080782	039957

Trolley - Chariot



Compressed air cleaning
filter for Plasma Cutter 40
- Filtre déshumificateur
spécial Plasma
039728



				I ₂	 mm						INTEGRATED TECHNOLOGY							AIR SYSTEM			EN 60974-1 (40°C)				 Protected & compatible power generator (+/-15%)
					Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing		P400	PFC	FV	GRID CUT	AD	IP23	CNC	min	ideal	max	I 60%	X% I ₂ max	100%		
MADE IN GYS CHINA	EASYCUT 25	230V 1~	16	10 → 25	8	6	6	4	4	3	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—
MADE IN FRANCE	EASYCUT 30FV	230V 1~ 110V 1~	16 32	10 → 30 10 → 30	15	10	10	8	6	5	■	■	■	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A 19 A	30% 25%	20 A 15 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA
MADE IN GYS CHINA	EASYCUT 40	230V 1~	16	10 → 40	20	15	15	10	8	6	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—
MADE IN FRANCE	CUTTER 45CT	TPT 40	230V 1~ 110V 1~	16 32	15 → 45 15 → 30	20 15	15 10	10 8	8 —	6 —	■	■	■	■	■	analogic	5 bar	5.2 bar 115 L/min	7 bar	41 A 21 A	50% 25%	32 A 17 A	51 x 31 x 47 / 16.4	10.5 kW	8 kVA
		MT 70	230V 1~ 110V 1~	32 32	15 → 45 15 → 30	30 15	20 10	25 10	15 8	12 —	—	—	—	—	—	—	5 bar	5.2 bar 185 L/min	7 bar	41 A 21 A	50% 25%	32 A 17 A			



INDUCTION HEATING

1 200 - 22 000 kW

GYSDUCTION	102
COMBIDUCTION	103
POWERDUCTION	104

ACCESSORIES & CONSUMABLES	108
---------------------------	-----



GY
S

INVEST IN THE FUTURE



POWERDUCTION

INDUCTION HEATING

1.2→5.2 kW



MAINTENANCE / MECHANIC / INDUSTRY

			10R	10R PRO
			✓	✓
POWERDUCTION 10R				
			✓	✓
Flexible 800 mm 054813				
			✓	✓
Straight 800 mm 054868				
SIDE				
Ø 18 mm	⊙ ≤ M8	054806	✓	✓
Ø 21 mm	⊙ ≤ M10	079953	—	✓
Ø 24 mm	⊙ ≤ M12	054790	✓	✓
Ø 27 mm	⊙ ≤ M14	079960	—	✓
Ø 30 mm	⊙ ≤ M16	055469	—	✓
FRONT				
Ø 18 mm	⊙ ≤ M8	079977	—	✓
Ø 21 mm	⊙ ≤ M10	079984	—	✓
Ø 24 mm	⊙ ≤ M12	079991	—	✓
Ø 27 mm	⊙ ≤ M14	080003	—	✓
Ø 30 mm	⊙ ≤ M16	080010	—	✓



		included	37LG S90	37LG S180/B3W
S90		058927	✓	—
S180/B3W		067899	—	✓



1.5 m



2 m

included S90
058927


1 200 W 230 V • 1~ AIR

POWERDUCTION 10R (5 inductors)	POWERDUCTION 10R PRO (12 inductors)
062504	080195
🇬🇧: 068643	🇬🇧: 080300
🇬🇧: 080966	

OPTIONS 10R

Decal - Décollage - Entkleben
066601

Loosening - Dégrillage - Lockerung
079472



POWERDUCTION 37LG (S90)

3 700 W 230 V • 1~

056992
🇬🇧: 072510
🇬🇧: 080959

POWERDUCTION 37LG (S180/B3W)

3 700 W 230 V • 1~

083387
🇬🇧: 083394

POWERDUCTION 37LG (S90) 208-240V

3 700 W 208-240 V • 1~

084865

NEW

OPTION 37LG

Cable hanger
- Cable support
052284

Trolley - Chariot
UNIVERSAL 800
051331



Youtube



3 m

		included	39LG C20/B1	39LG S90
C20/B1		056862	✓	—
28S		064485	—	✓
S90		058927	—	✓



included C20/B1
056862

3 m



READY TO USE
Liquid included

READY TO USE
Liquid included



Option
Protection cover
- Housse de protection
- Schutzhaube
062733

POWERDUCTION 39LG (C20/B1)

3 700 W 230 V • 1~

058583

POWERDUCTION 39LG (S90)

3 700 W 230 V • 1~

080027
🇬🇧: 087620 **NEW**

POWERDUCTION 50LG

5 200 W 230 V • 1~

055599

 MADE IN FRANCE		 		Freq.	INTEGRATED TECHNOLOGY			Cable L (m)		 Heating				  Protected & compatible power generator (+/-15%)	 L × W × H cm / kg	 L × W × H cm / kg
		A	W		kHz	P400	PFC	Liquid Cooling	 Inductor							
POWERDUCTION 10R / 10R PRO	230V, 1~50/60 Hz	10 mini	1200	45+80	—	—	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	1.5 kW	062504 - 21 x 10 x 15 / 3.3 080195 - 21 x 17 x 14.5 / 3.3	062504 - 41.5 x 17 x 36.5 / 5.5 080195 - 46 x 20.5 x 38 / 5.4	
POWERDUCTION 37LG (S90) / (S180/B3W)	230V, 1~50/60 Hz	16 mini	3700	15+30	—	—	■ 1.51	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	56 × 26 × 29 / 13	60 × 34 × 33 / 14.5	
POWERDUCTION 37LG (S90) 208-240V	208-240V, 1~50/60 Hz	20 mini	3700	15+30	—	—	■ 1.51	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	56 × 26 × 29 / 14	60 × 34 × 33 / 15.5	
POWERDUCTION 39LG (C20/B1) / (S90)	230V, 1~50/60 Hz	16 mini	3700	20+60	■	■	■ 71	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	
POWERDUCTION 50LG	230V, 1~50/60 Hz	25 mini	5200	20+60	■	■	■ 71	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	6 kW	46 × 43 × 75 / 58	80 × 60 × 60 / 71	

INDUCTION HEATING • 1 ~

POWERDUCTION

105





POWERDUCTION

INDUCTION HEATING

11 → 22 kW

OPTIONS

Skate
087958



↓ 12 kg
⊗ 73.5 x 33 x 20.5 cm / 12.5 kg

DIABLE JOBSITE XL
039568



↓ 18.3 kg
⊗ 66 x 47 x 20 cm / 19.5 kg

Included

Removable handle
- Poignée de lance
- Abnehmbarer Griff
for POWERDUCTION
110 - 160 - 220 LG
068599




	included	110LG L90	110LG L20/B4
32L	064515	✓	✓
L90	059788	✓	—
L20/B4	067882	—	✓

OPTION

Powerduction
160/220 LG over
hanging arm-pulley
- Équilibreur Powerduction
160/220 LG

079441



	included	160LG L90	160LG L20/B4
32L	064515	✓	✓
L90	059788	✓	—
L20/B4	067882	—	✓



included adapter
32L + L20/B4
064515 + 067882

NEW
05/2025

4 m

READY TO USE
Liquid included

POWERDUCTION
110LG COMPACT (L20/B4)

11 000 W 400 V • 3 ~

* LIQUID

087637



4 m

READY TO USE
Liquid included

POWERDUCTION
110LG (L90)

11 000 W 400 V • 3 ~

* LIQUID

058590

POWERDUCTION
110LG (L20/B4)

11 000 W 400 V • 3 ~

* LIQUID

083400

POWERDUCTION
110LG (L90) 208-240V

11 000 W 208-240 V • 3 ~

* LIQUID

065246



6 m

6 m
or
10 m

included adapter
32L + L20/B4
064515 + 067882

POWERDUCTION
160LG (L90)

16 000 W 400 V • 3 ~

* LIQUID

057814

POWERDUCTION
160LG (L20/B4)

16 000 W 400 V • 3 ~

* LIQUID

083417

POWERDUCTION
160LG (L20/B4) 208-240 V

16 000 W 208-240 V • 3 ~

* LIQUID

065253



POWERDUCTION
220LG

22 000 W 400 V • 3 ~

* LIQUID

6 m cable: 066861
10 m cable: 074576

t° POWER HEAT CONTROLLER

t° CONTROL
80>350°C (210>660°F)




5,5m

Compatibility
POWERDUCTION
110-160-220

POWER HEAT
CONTROLLER
061644

Included
T° sensors
thermocouple type K
x2



OPTION

PYROMETER IR
064119




1.1 m

for
inductor L90



OPTIONS



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION
110LG
062733



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION
160 - 220 LG
050853



Cooling
liquid

2L 082212
5L 062511
10L 052246



055490

 MADE IN FRANCE				Freq.		Cable L (m)		 Heating					
		A	W	kHz	Liquid Cooling	 Inductor				LxWxH cm / kg	LxWxH cm / kg	Protected & compatible power generator (+/-15%)	
POWERDUCTION 110LG COMPACT 	400V, 3~,50/60 Hz	16 mini	11 000	20+60	 1.5 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	63 x 33 x 54 / 50	NC	15 kW
POWERDUCTION 110LG	400V, 3~,50/60 Hz	16 mini	11 000	20+60	 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 66.5	59 x 80 x 60 / 86	15 kW
POWERDUCTION 110LG 208-240V	208-240 V, 3~, 50/60 Hz	35 mini	11 000	20+60	 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 78	59 x 80 x 60 / 90	15 kW
POWERDUCTION 160LG	400V, 3~,50/60 Hz	32 mini	16 000	20+60	 30 l	4	6	M30 → 3 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 128	80 x 61 x 120 / 140	22 kW
POWERDUCTION 160LG 208-240V	208-240 V, 3~,50/60 Hz	45 mini	16 000	20+60	 30 l	4	6	M30 → 3 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 113.5	80 x 60 x 120 / 126	22 kW
POWERDUCTION 220LG	400V, 3~, 50/60 Hz	32 mini	22 000	20+60	 30 l	4	6	M30 → 3 s	4 mm → 3 s 8 mm → 9 s	Ø10 → 4 s	70 x 60 x 120 / 98	80 x 60 x 132 / 139	22 kW
POWERDUCTION 220LG 10M	400V, 3~, 50/60 Hz	32 mini	22 000	20+60	 30 l	4	10	M30 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 60 x 120 / 132.5	80 x 60 x 120 / 144.5	22 kW



107

POWERDUCTION

INDUCTION HEATING • 3 ~

SMALL Ø16

INDUCTORS

* = original equipment	S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B3W 067899	S180/B6 087002		
37 LG	✓*				✓				
39 & 50 LG				✓ with adapter 285					
110, 160 & 220 LG				✓ with adapter 325					

Ø 20	S20/D20 078796	S90/D20 078871	S180/D20 069985
Ø 25	S20/D25 078802	S90/D25 078888	S180/D25 069992
Ø 30	S20/D30 078819	S90/D30 078895	S180/D30 070592
Ø 35	S20/D35 078826	S90/D35 078901	S180/D35 070608
Ø 40	S20/D40 078833	S90/D40 078918	S180/D40 070615
Ø 45	S20/D45 078840	S90/D45 078925	S180/D45 070622
Ø 50	S20/D50 078857	S90/D50 078932	S180/D50 070639
Ø 55	S20/D55 078864	S90/D55 078949	S180/D55 070646
37 LG		✓	
		S20/D20~D35, S90/D20~D35, S180/D20~D35	
39 & 50 LG		✓ with adapter 285	
110, 160 & 220 LG		✓ with adapter 325	
Protection kit for loop inductors - Kit de protection pour inducteurs boucle 077386			

S180 Heat Tube		S20 Pre Heat	
Ø 24	D24 086982	NEW	D24 086975
Ø 30	D30 086999	NEW	
Ø 37	D37 078604		
Ø 40	D40 078611		
Ø 50	D50 078628		
39 & 50 LG	✓ with adapter 285	✓ with adapter 285	
110, 160 & 220 LG	✓ with adapter 325	✓ with adapter 325	

DIFFICULT ACCESS ADAPTERS			
	90°-S 082663	✓ with adapter 180/B1 ✓ with adapter 180/B3W ✓ with adapter 180/B6	✓ with adapter S180 HEAT TUBE D37 ✓ with adapter S180 HEAT TUBE D40 ✓ with adapter S180 HEAT TUBE D50

ADAPTERS	
	285 M28 Ø16 064485
	325 M32 Ø16 064508
39 & 50 LG	✓ 285 M28 Ø16
110, 160 & 220 LG	✓ 325 M32 Ø16

Boxes - Boîtes		
	285/B type W for 39LG & 50LG 072497	
included: S20/B1 (x1) S180/B1 (x1) S180/B3 (x1) 285 (x1) B1 (x1) B3 (x1)		
	325/B type W for 110LG, 160LG & 220LG 072503	
included: L70 (x1) S180/B3 (x1) 325 (x1) B1 (x1) B3 (x1)		
	L box 065796	
included: L180 (x1)		

Trolley for inductor for adapter 32L Chariot pour inducteur pour adaptateur 32L 075955	
4 to 8 wheels	

Ferrites - Ferrites - Ferritaufsatz									
	B1 053823		B2 053458		B3 067875		B4 053755		B5 079489
	B1 (x5) 079380		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5) 079397
	B1 056909		B2 056916		B3 072527		B4 054844		B5 054844
	B1 (x5) 079397		B2 (x5) 079397		B3 (x5) 079397		B4 (x5) 079397		B5 (x5)



TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

TROLLEY IW1	111
MULTITOOL TRUCK	111

CAR LIFTS

SPOT LIFT	112
QUICK LIFT / AIR JACKS	114
ERGO LIFT	115
MANUAL DOOR LIFT / WHEEL LIFT	116



TROLLEY IW1 / MULTITOOL TRUCK

TRUCK TOOLS

TROLLEY IW1
Impact wrench trolley -
Support de clé à choc

max 6.5 bar

max 20 kg

063136

OPTIONS




Huile hydraulique
- Hydraulic oil
1l
053397

**Weight, vibrations
& torque suppression -**
Suppression du poids,
des vibrations et du couple



Youtube



MULTITOOL TRUCK

SAFE EN 14238 + A1

max 200 kg

067158

INCLUDED




Lifting tool for brake caliper
- Outil de levage pour étrier
de frein - Hebewerkzeug für
Bremssattel



Brake caliper





Lifting tool for battery -
Outil de levage pour batterie
- Hebewerkzeug für Batterie



Truck batteries



Lifting tool for wheels -
Outil de levage pour roues
- Hebewerkzeug für Räder





SPOT LIFT

MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar


SAFE EN 1494

max 2.2 t




064843


HEALTH CARE



High stability - Haute stabilité



Included
220 bar
053588




SAFE
EN 1494

OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1L
053397


Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236



AUTO ROLL



min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)





AUTO ROLL 1.0 m / 1.2 t
059047



AUTO ROLL 1.55 m / 1.2 t
063839



AFTER LIFT AUTO ROLL



067967




WHEEL TROLLEYS - Tabourets de manutention - Radhocker

048768



MECHANICAL LIFTING JACKS - Chariots de manutention prise sous roue - Kfz-Montagelift, fahrbar

071995



SPOT LIFT PRO


max Air 8 bar

SAFE EN 1494

max 2.2 t



053557



SPOT LIFT PRO MOB



max Air 8 bar

SAFE EN 1494

max 2.2 t



055896




OPTIONS


Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW



Pads - Patins
for Audi & BMW
(x 2)
053717



Ramps - Ranges
700 x 200 x 80 mm
(x 2)
056787




OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW



Patins - Pads
for Audi & BMW
(x 2)
061606



Ramps - Ranges
700 x 200 x 80 mm
(x 2)
056787



113

SPOT LIFT

MOBILE LIFTS

QUICK LIFT L520E

062184

220 V, 1 ph
0.75 kW


Included
Hydraulic oil 5 L
- Huile hydraulique
5 L
062160



10 cm
5 cm
12 cm
Pads - Patins
Included (x 8)

SAFE
EN 1493

2.5 t max




Made in China

OPTIONS

Extensions 1680 mm x 2
066328



x4 Patins à rainures
071933



Pads for SUV x4 - Patins pour SUV x 4
065017



Wall mount -
Support mural
071926



AIR JACKS

DOUBLE BAG AIR JACK

082878

Pressure : 8 bar (116 PSI)
Weight 12 kg

60 x 52 x 14.5 cm
14.8 kg

SAFE
EN 1494

12 kg
LIGHT & COMPACT

TRIPLE BAG AIR JACK


082885

Pressure : 8 bar (116 PSI)
Weight 14 kg

62 x 56.5 x 18 cm
17.8 kg

SAFE
EN 1494

14 kg
LIGHT & COMPACT



ERGO LIFT 1000 ROLL

Air 7-8 bars



SAFE
EN 1493

max 2.5 t



24 cm
437 kg
226 cm
115 cm

Ergo Lift
+ Wheels
+ Pump = 469 kg

High stability - Haute stabilité




SAFE
EN 1493




10 cm (min)

395 kg




OPTIONS


Pads for SUV x4
- Patins pour SUV x 4
065017



Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717



Capacity :
max 3.5 t




Pack ERGO LIFT 1000 ROLL + wheels

076792






Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984



 Manufactured
by GYS =
SUPER PRO



ACCESSORIES

WELDING HELMETS	118
FUME EXTRACTION	121
WINDSCREEN REPAIR	122
BUMPER REPAIR	124
HAND TOOLS	126
PNEUMATIC TOOLS	130
WORKING LIGHTS	132
SANDING & DUST EXTRACTION	134
WORKING SUPPORTS	136
SAFETY PROTECTION	141
ELECTRIC VEHICLES	142


HELMETS
VENTILATED



GYSMATIC 3/9-13 G AIR
065727
069602

100 x 60 mm

0.04 ms



GYSMATIC 5-13 G AIR XXL
047846
028852

100 x 83 mm

0.1 ms



included with
GYSMATIC 5/13 G
AIR XXL

Filtration class
EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min
Battery included

OPTION
Filter TH3
065734



Battery charger
037472
028869



Battery included
037465



038424 x1



038417 x5

IDEAL



DIGITAL

MEMORY &
REGULATIONS
ELECTRONIC

memory
saving x3

FUME EXTRACTION SYSTEMS - Aspirateurs de fumée - Rauchgasabsauggerät

UNI 2.0 RE

- 400V 3 ~
- 50 Hz
- 1 100 W
- 1 500 m³/h max
- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s

122 x 67 x 145 cm / 111.5 kg

061545



Included
Pré filtre, treillis Aluminium
Class of filtration G3 EN 779
+ **Filtre** - Coal Filter EPA E12
EN 779, Filtration >99.5 %
046467

Options
Filtre à charbon actif -
Coal filter
✓ UNI 2.0 RE
064522

Extraction flexible
10 m, Ø 152 mm
✓ UNI 2.0 RE
✓ EVO 2.1 RE
062139

EVO 2.1 RE

- 230V 1 ~
- 50 Hz
- 1 100 W
- 1 200 m³/h max
- occasional
- arm 3 m
- included
- 85 kg

96 x 95 x 162 cm / 114 kg

061552



Included
Pré filtre, treillis Aluminium
Class of filtration F15 G2 EN 779
+ **Filtre** - Coal Filter HEPA H13
EN 779, Filtration >99.95%
046498

FUME EXTRACTION TORCHES - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos



	Steel/Stainless steel - Acier/Inox - Stahl/Edelstahl			
	AIR		LIQUID	
	150 A	250 A	350 A	500 A
original equipment	M6	M6	M8	M8
Ø	Ø 0.8	Ø 1.0	Ø 1.2	Ø 1.2
X % 40°C - ArCo ₂	150A - 60%	200A - 60%	290A - 60%	380A-100%
GRIP	GRIP	GRIP	GRIP	GRIP
L	3 m	3 m	4 m	4 m
Ref.	043251	040540	040557	040564

BINZEL



For fume Extraction Torches - Pour torches aspirantes

BINZEL
073715




- 230V / 1 ~, 1 100 W
- 230 m³/h max
- 190 mbar max
- 25 kg, 590 x 425 x 825 mm
- 76 db
- Filter auto cleaning system - Système de nettoyage automatique du filtre - Automatische Filterabreinigung

Filtre Classe M, EN 60335-2-69

included :
5 m, Ø50



• External evacuation
Ø50 (hose not included)
- Évacuation extérieure
Ø50 (tuyau non inclus)



HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare-chocs - Stoßstangen Reparatur Kit




Staples - Agrafes	V	U	N	W	M
	Inside corner - Angle interne étroit Ø 0.7 mm	Crack alignment - Alignement de fissure Ø 0.7 mm	Large crack - Fissure importante Ø 0.7 mm	Internal angle - Angle interne Ø 0.7 mm	External angle - Angle externe Ø 0.7 mm
	 x 100 047990	 x 100 047983	 x 100 047976	 x 100 047969	 x 100 047952
	052413				
	= x 50	+ x 50	+ x 50	+ x 50	+ x 50

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger




FREEZER



TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs



HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset




320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min
Station seule
- Station only
064072

plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		■ 6 mm	x 10	067622
NEW TPO	ABS	■ 8 mm	x 10	066298
		▲ 4 mm	x 10	071322
		■ 8 mm	x 10	071339
		▲ 4 mm	x 10	087873
		■ 8 mm	x 10	087880

	Station	PP/EPDM			Pressure wheels	Mini milling machine	Scraper
		▲ 4mm (x10)	■ 6mm (x10)	■ 8mm (x10)			
064072	✓						
070974					✓		




WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / -L Ø100 x 300mm,
poignée Ø 56mm.



MULTI-CLIP PLIER - Pince multi-clip



BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set



WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

± 64 kg
Capacity 320 kg



4 Keys -
4 Clés

Complete carbody workstation
080119



Workstation only
076143


included



HAND CHISEL FOR CAR BODY

- Burins
- Meißel für Karosserie

057586




057593



SET OF 3 SCRAPING KNIVES


- Couteaux racloirs

061439



SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF 3 CHISELS - Lot de 3 burins de
séparation éléments collés - 3 Meißel

076754



SET OF 30 TOOLS FOR SCRAPING/SANDING AND
PAINT REMOVAL - Outils de dégarnissage et raclage - Polster &
Schaber Kit

057616



HAND TOOLS - Ausbeulwerkzeug

• FULL PACK =
061637



+ • MEDIUM PACK
051133



PLANISHING HAMMER
BLACKTEC®

077270

Rubberised gripping
- Manche en caoutchouc



MADE IN GERMANY

Corrosion resistant

ALU HAMMERS
- Marteaux alu

020986



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4
DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit



SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu
- Karosseriehammer & Handfaust Kit



FORMING TOOLS - Outils de forme -
Formgebungswerkzeuge

051195




BODYWORK BUMPING Mallet - Maillet souple caoutchouc
- Karosserie-Schlaghammer

083479




CONTOUR GAUGES - Jauges de profil - Konturenlehre

052840




057265




DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102



GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre

x2
054752




MULTI-CLIP PLIER - Pince multi-clip

083813



BURR REMOVER - Outil d'ébavurage - Gratentferner

079854



LIP PLIER - Pince à lèvres - Falzange gebogen

079649




DOOR ALIGNING TOOL - Outil d'alignement de portière - Türausrichtungswerkzeug

083424




FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue - Kotflügelrollen-Werkzeugsatz

060791



BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



SET OF PLIER + 10 STAPLES - Coffret pinces à agrafes

082175



0-2.5 mm (x10)
082182



2.5-5 mm (x10)
082199

POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)



TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles

(x10)
Ø 2,4 mm
069664



(x10)
Ø 4,0 mm
069671

(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695


MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)




MICRO-WELDING CLAMPS - Micro-brides de soudage

079373
(x4)




FLAT NOSE LOCK-GRIP PLIERS - Pinces étai à bec plat

062719



AXIAL-GRIP PLIERS - Pinces axiales

050242



LOCK-GRIP PLIERS - Pinces étai mono serrage

280 mm
061378



610 mm
061354




460 mm
061361




Flat noze - 610 mm
061347



Flat noze - 460 mm
050112



KIT:
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829

Speed adjustment

Ø 75 mm

Included (x1) 052468

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248

x2 Ø

Ø 50 & 75 mm

Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
15000	84	91	6.2	10	0.6

MINI-FLEXIDISC LAMELLES ZIRCON Ø 50 mm

K 40 (x10) 058255

K 60 (x10) 058262

K 80 (x10) 058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906

520 mm

20

360°

Grain 60 (x 5) 060913

Grain 80 (x 5) 060920

Grain 100 (x 5) 060937

Grain 36 céramique (x 5) 062535

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16 000	171	6.3	34	1.2

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819

360°

330 mm

10 mm

Grain 80 (x 10) 052833

Grain 36 céramique (x 20) 062528

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836

90°

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	500	81	85	6.2	18	0.7

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753

Ø 100 mm

± 1.6 mm, x5 057883

± 0.8 mm, x5 058217

Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867

Ø 50 mm

90°

(x1) 052772

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
15000	200	86	85	6.2	18	0.75

SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile

051805

(x5) 052789

included 058750

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
5000	—	85	255	6.2	10	0.8

AUTOMATIC MANDREL DRILL - Perceuse mandrin automatique - Druckluftbohrmaschine m. Schnellspannfutter

051799

Ø 13

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	300	92	170	6.2	18	0.9

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775

Roue gomme 115 x 14 mm 051874

Roue à découper 115 x 14 mm 051843

Adaptateur pour brosse 051768

Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598

Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812

Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
4000	500	86	102	6.2	280	1.2

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer

063228

Option

Tungsten drill Ø 6 mm 054172

LASER CORD METAL SHEET CUTTER (NIBBLER) - Dépointeuse pour cordon laser ACIER - Trennwerkzeug für Lasernähte

054165

Ø 6 mm

STEEL Included 054172

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464

360°

Ø 8

Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)

HIGH QUALITY

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	400	85	140	6.5	35	2.3

Spot remover drill - Forets de dépointage - Schweißpunktfräse Tungsten Carbide for BORON/UHSS

	Ø 8 mm 053069	Ø 9 mm 069763	Ø 10 mm 053076
3-edge			
4-edge Efficiency ++ Durability ++	Ø 8 mm 059849	Ø 9 mm 069770	

PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouer, pneumatique - Pneumatische Loch- und Absattzange

079892

Ø 8 mm

0,8 > 1,2 mm

052543

Ø 5 mm

0,8 > 1,2 mm

2 in 1

0,8 > 1,2 mm

BODY ZIPPER - Sertisseuse pneumatique Pneumatic Crimper - Druckluftkantenformer

056930

MADE IN HIGH QUALITY POLAND

1) MINI

2) initial W

3) final M x < 2.4mm

4) final D x > 2.4mm

total thickness

a b x=2a+b

Air pressure bar cm kg

5 28 2.1

6 mm 20 mm 052437

8 mm 20 mm 067264

Punching tool for oval holes - Outil de poinçonnage oblongs - Langlochkarosserieblechzange

2.2kg

HAND LAMPS - Lampes baladeuses - Handleuchte

PORTABLE HAND LAMP 400 L
400 lumens

COB LED
Li-ion
Charging time: 8h
operating time
High position: 2.5 h
Low position: 5 h
Top light (1 W): 6 h

↓ 7 x 4 x 23 cm / 0.3 kg
⊗ 14 x 7 x 24 cm / 0.5 kg

059153



PRO PORTABLE LAMP 600 L
250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time
High position: 1.5 h
Mid position: 4.5 h
Top light (100 lumens): 10 h

IP 54
↓ 3 x 6 x 19 cm / 0.3 kg
⊗ 9 x 13 x 24 cm / 0.6 kg

060883



360° PORTABLE WORKSPACE LAMP 1000 L
60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

IP 54
↓ 26 x 7 x 7 cm / 0.5 kg
⊗ 8 x 8 x 35 cm / 0.7 kg

059764

USB charging
/Power supply

Ambiant light



INSPECTION LAMPS

- Lampes d'inspection - Inspektionslampen

INSPECTION HEADTORCH 280 L
100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.

operating time
High position: 2 h
Low position: 6 h
IP 65
↓ 8 x 5 x 4 cm / 0.1 kg
⊗ 5 x 11 x 18 cm / 0.2 kg

060845



MINI INSPECTION LAMP 350 L
0-350 lumens

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)

operating time
3 > 6.5 h

IP 20

075894



279 mm

Aluminium Body

146 mm


PRO INSPECTION LAMP 800 L
120-800 lumens

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)

operating time
2.5 > 9 h

IP 54

075900



304 mm

Aluminium Body

162 mm

LED WORKLIGHTS WITH TRIPOD - Projecteurs led sur trépied - LED-Arbeitsleuchte mit Standfuß

TRIPOD LAMP 1800 L
1800 lumens

3x 55 COB LED
total 165 LED
1.8 m power cord
059146

⊗ 95 x 15 x 14 cm / 3.2 kg



adjustable 1.3 m max

TRIPOD LAMP 3000 L
3000 lumens

35 W COB LED
2 m power cord
IP 44
059979

↓ 100 x 20 x 9 cm / 3.6 kg
⊗ 103 x 22 x 10 cm / 4.1 kg



adjustable 1.5 m max

TRIPOD LAMP 4000 L
4000 lumens

3x 20 COB LED,
total 60 LED
3 m power cord
059986

↓ 21 x 15 x 114 cm / 5.7 kg
⊗ 22 x 116 x 117 cm / 6.4 kg



adjustable 2.3 m max

2.3 m max

UNDER BONNET LAMPS - Lampes sous capot - Leuchte für Motorhaube

UNDER BONNET HAND LAMP 600 L
500-1000 lumens


120 COB LED

3.7 V - 4000 mAh Li-ion
charging time: 10/12 h

operating time
High position: 4 h
Low position: 8 h

↓ 22 x 11 x 68 cm / 1.8 kg
⊗ 24 x 12 x 70 cm / 2.3 kg

059962



130 > 180 cm

UNDER BONNET LAMP AND TRIPOD 800 L
250-800 lumens

120 COB LED

3.7 V - 4000 mAh Li-ion
charging time: 10/12 h

operating time
High position: 3 h
Low position: 6 h


↓ 60 x 10 x 7 cm / 1.2 kg
⊗ 61 x 15 x 12 cm / 2 kg

058002



130 cm

DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung



4500 K
400 lumens

SUNCOLOR 1
COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
USB charging
operating time: 3 h
↓ 6 x 3 x 19 cm / 0.6 kg
⊗ 22 x 14 x 10 cm / 0.7 kg
IP 65

058477



3 COLORS
2700 - 4500 - 6500 K
350-420-450 lumens

SUNCOLOR 3
COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time: 2.5/4 h
IP 65
↓ 4 x 6 x 9 cm / 0.3 kg
⊗ 9 x 13 x 24 cm / 0.6 kg


060838



5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K
500-1000-2000 lumens

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time: 3.5 h
operating time
High position: 2 h, Mid: 4 h, Low: 8 h
IP 65
↓ 7 x 23 x 20 cm / 1.2 kg
⊗ 9 x 25 x 24 cm / 1.9 kg

060876



5 COLORS
2500-3500-4500-5500-6500 K
50-200-500 lumens

SUNMATCH 4
COB LED, 96 CRI+, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time:
High position: 2 h, Low position: 4 h
IP 65
↓ 4 x 6 x 19 cm / 0.3 kg
⊗ 8 x 9 x 21 cm / 0.5 kg

061651



UV CURING - SÉCHAGE UV
UV LED λ 395-400 nm

Irradiance 6-15 mW/cm²

NOVA-UV S

3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
charging time: 3.5 h
curing area: Ø 20 cm
operating time 1.5 h
IP 67
↓ 7 x 17 x 16 cm / 0.9 kg
⊗ 7 x 17 x 18 cm / 1 kg

061620



Curing area
Ø 20 cm



ANTI-STATIC IONIZER GUN - Pistolet anti-statique Ionizer Pro - Antistatische Ionisatorpistole

087866

Laser pointer 650 nm< 1 mW class II

BatteryLIPO 1800 mAh - 3.7 V

Output voltage : 6500 V

NEW

Neutralizes static electricity
- Neutralise l'électricité statique
- Neutralisiert statische Elektrizität

Ex

ATEX norm
Group II - Category 3

Charger

Input : 110/230V ~50/60Hz

Output : 5 V DC

EU

AUS

UK

US

Magnetic support

Adjustable sander pressure - Pression ponçeuse ajustable

5 bar max

↳ 49 x 48 x 88 cm / 21.5 kg

⊗ 81 x 40 x 49 cm / 24.1 kg

Ex

ATEX norm
Group II - Category 3

EN 60335-2-69 : 2012

ROBUST

QUICK & SAFE

LOW AIR CONSUMPTION
(5 bar)

NO ELECTRIC MOTOR

ENERGY SAVING

3 m
Ø 29 mm

Option :
5m
Ø 29 mm
083165

Option :
10m
Ø 29 mm
076013

Ponçeuse non fournie
- Sander not included

Included
Earth clamp
safety

FILM COATING THICKNESS GAUGE
- Détecteur épaisseur de peinture

059856

Measurement range : 0 – 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm

0.3

0.3 mm

4 MAGNETIC PANEL EDGE PROTECTIONS
- 4 protections magnétiques de ponçage pour bord de panneau

082793

55.5 cm

ELECTRIC SANDER & POLISHER - Ponçeuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
↳ 27 x 15 x 10 cm / 1.5 kg
⊗ 37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Speed control

Ø 35

Ø 152 mm

Light weight
& Compact

((No vibration))

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/min
Drum capacity : 30 L
Drum material : stainless steel

↳ 33 x 33 x 63 cm / 4.9 kg

⊗ 38 x 38 x 67 cm / 7.8 kg

Manual
or
automatic

4m
Input Ø 32 mm
Mains cable length 4.5m

GYSDUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander

INNOVATIVE SUCTION SYSTEM

Depression 1150 mm H2O

Air flow 600 l/min

Air consumption 340 l/min

Adjustable sander pressure - Pression ponçeuse ajustable

5 bar max

↳ 49 x 48 x 88 cm / 21.5 kg

⊗ 81 x 40 x 49 cm / 24.1 kg

Ex

ATEX norm
Group II - Category 3

EN 60335-2-69 : 2012

ROBUST

QUICK & SAFE

LOW AIR CONSUMPTION
(5 bar)

NO ELECTRIC MOTOR

ENERGY SAVING

Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Maintenance free
- Aucune maintenance

Consumables

Sac à poussières - Filter bag
Capacity 5 kg

Included x1

x 5
058880

Options

Pneumatic Sander - Ponçeuse pneumatique
MIRKA PROS 650CV

Ø 150 mm
071346

NEW
04/2025

Pneumatic Sander - Ponçeuse pneumatique
Made in China

Ø 150 mm
087897

2 MODELS

GYSDUST EXTRACTOR

MANUAL

Manual start
- Démarrage manuel

071353

GYSDUST SELF EXTRACTOR

AUTOMATIC

Automatic start
- Démarrage automatique

077058

GYS


135

SANDING & DUST EXTRACTION

134

ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments
- Ergonomische Pro-Unterstützung für Malelemente

082656



50 kg max

2.5 mm

90°

80 x 60 x 15 cm
20 kg

included

Stability & Mobility


 Manufactured by GYS = SUPER PRO

Maximum FRONT/BACK access


Vertical

Ideal Positions

Horizontal



Compact



ROTARY ELEMENT SUPPORT - Support élément rotatif
- Lackierständer für Stoßstange, einstellbar



2 mm

360°



2 mm

PRO 056725

200 x 105 x 81 cm - 21.5 kg


120 x 26 x 18 cm / 22 kg

 MADE IN HIGH QUALITY POLAND

WHEELS PAINTING SUPPORT - Support de peinture pour 2 jantes - Lackträger für 2 Felgen

082168

83 x 45 x 35 cm / 25 kg



15"→22"

109 cm

95

67

FRAMES SUPPORT - Tréteaux - Klappbücke

Adjustable catenary - Chainette réglable

Protecting foam - Mousse de protection

Non-slip base - Antidérapants



040601

105 x 33 x 9 cm / 6.3 kg

107 x 35 x 10 cm / 6.7 kg

Ø 28 mm

040250

100 x 105 cm - 7.1 kg

104 x 10 x 32 cm / 7.5 kg

Ø 32 mm

083875

14.4 kg

108 x 9 x 47 cm / 16.5 kg

30 > 80 cm

70 > 95 cm

101 cm

040311

106 x 31 x 6 cm / 6.6 kg

106 x 31 x 11 cm / 9.7 kg

Ø 32 mm

Suction pad for glazing
- 4 ventouses
Dépose vitrages
- Gummiteiler zur Fixierung von Glasscheiben

040304

105 x 109 cm / 7.2 kg

107 x 32 x 10 cm / 7.8 kg

Ø 32 mm

Light and easy to handle
- Léger et très maniable
Spécial travaux à l'horizontal
- Speziell geeignet für Arbeiten in horizontaler Position

ROTARY ELEMENT SUPPORT
- Support pare-chocs - Lackierständer für Stoßstange, einstellbar

052376

50 x 70 x 10 cm / 7.3 kg

60 x 77 x 12 cm / 8.3 kg



Adapted to wing mirror covers
- Adapté aux coques de rétroviseurs
- Geeignet für Außenspiegel

TELESCOPIC FRAMES SUPPORT - Tréteaux télescopiques - Teleskopbücke

083882


30 > 100 cm

85 > 120 cm

81 cm

29 kg

81 x 74 x 14 cm / 30.7 kg



SUSPENSION RACK FOR CAR BODY PANELS - Portant pour suspension d'éléments de carrosserie

087415


15 kg

100 kg (220 lbs) max

127 > 203 cm

177 cm

50 cm



NEW

MASKING MACHINE
- Chariot de marouflage - Abdeckpapier-Ständer

083905

132 x 95 x 91 cm / 35 kg

109 x 92 x 27.5 cm / 37 kg



x 4 (not included)

Paper roll - Rouleaux de papier - Papierständer

30, 60, 120, 120 cm

OPTION

Ø 40 mm x 6 058897

MASKING MACHINE
- Diable de marouflage - Abdeckpapier-Ständer

056954

150 x 62 x 110 cm / 11 kg

154 x 30 x 19 cm / 12 kg



x 3 (not included)

Paper roll - Rouleaux de papier - Papierständer

30, 60, 90 cm

MADE IN HIGH QUALITY POLAND

GYS

137

WORKING SUPPORTS


136

MOBILE RACKS FOR CAR BODY REPAIR - Racks mobiles pour éléments de carrosserie - Mobile Regale für Karosserieteile

082472

⊗ 128 x 30 x 15 cm / 20 kg
↓ 18.8 kg


NEW



083899

3.9 kg
⊗ 61 x 36 x 16 cm / 4.6 kg

NEW



STORAGE TROLLEYS - Chariots de stockage - Lagerrollwagen

040243

71 x 90
x 197 cm
/ 41 kg

⊗ x2:
90 x 6
x 147 cm
+ 97 x 74
x 24 cm



059825



106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

WALL STORAGE - Stockage mural - Wandspeicher

059832



↓ 50 x 150 cm
/ 11.3 kg
⊗ 155 x 18 x 12 cm
/ 13.8 kg

UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer

083868


56 kg
⊗ 102 x 72 x 27 cm / 59 kg

NEW



FLAP LOCKS - Jeux de tiges de blocage


056732



MADE IN
HIGH
QUALITY
POLAND



087903



NEW

ROUND STOOL WITH TOOL STORAGE - Tabouret - Werkstatt-Rollhocker

057555

38 x 38 x 44 cm - 5.2 kg
⊗ 41 x 19 x 41 cm / 5.6 kg



max : 50 cm
min : 38 cm

PLASTIC STOOL WITH TOOL STORAGE - Tabouret en plastique avec rangements - Kunststoffhocker

085916

3.9 kg
⊗ 61 x 36 x 16 cm / 4.6 kg

NEW



3-DRAWER WORKSHOP STOOL - Tabouret d'atelier 3 tiroirs - Werkstatthocker 3 Schubladen

079878

47 x 35 x 43 cm / 12 kg
⊗ 38.5 x 37 x 38.5 cm / 13 kg



150 kg
max

FOLDING STEP STOOLS - Marche pieds (Aluminium) - Arbeitspodest klappbar

080041

7.3 kg
⊗ 100 x 39.5 x 19 cm / 8.1 kg

ALU



150 kg
max

MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege

057548

102 x 43 x 11 cm / 5.3 kg
⊗ 104 x 45 x 13 cm / 6 kg




136 kg
(300 lbs) max

057562

7.9 kg
⊗ 102 x 39 x 19 cm / 8.5 kg

ALU




150 kg
max

2 IN 1 MECHANICS CREEPER - Chariot de visite 2 en 1 - Werkstatt-Rollliege

079861

102 x 40 x 14 cm
⊗ 40 x 13 x 63 cm - 7.6 kg




136 kg
(300 lbs) max

058552

↓ 113 x 41 x 16 cm / 16 kg
⊗ 117 x 42 x 17 cm / 17 kg

ALU



150 kg
max

WORKSTATION PREMIUM 5 DRAWERS

- Servante premium 5 tiroirs

076143
 64 kg
Capacity 320 kg

32 x 45 x 6 cm
 65 x 48 x 12 cm
 65 x 45 x 6 cm
 75 x 47 x 9 cm
 65 x 45 x 12 cm
 32 x 45 x 12 cm

105 cm
 56 cm
 87 cm

4 Keys - 4 Clés

Example of use - Exemple d'utilisation (p. 51)

PLASTIC TROLLEY 3 SHELVES

- Servante plastique 3 plateaux

087309

75 cm
 87.5 cm
 28 cm
 28 cm
 54.5 cm
 61 cm

NEW

MOBILE WORKSTATION

- Table de travail mobile

079465
 120 x 82 x 18 cm / 40.3 kg
 1170 mm
 390 mm
 1030 mm
 750 mm
 100 kg max

WORKSTATION 3 SHELVES 1 DRAWER

- Servante d'atelier 3 plateaux 1 tiroir

088023

80 cm
 42 cm
 48 x 7 cm
 16.5 cm
 20.5 cm
 60 cm
 57.5 x 38 x 6 cm
 80 cm
 40.5 cm

NEW
 04/2025

WORKSTATION 3 SHELVES

- Servante 3 plateaux

068056
 77 x 53 x 21 cm / 18.2 kg
 65 kg max
 65 kg max
 65 kg max
 835 mm
 390 mm
 800 mm

HEAT COVER

- Couverture anti-chaueur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento

PROTEC 550
 550°C/1000°F - Class M0
 2 m x 2 m - 580 g/m²
 050495

PROTEC 1200
 1200°C/2200°F - Class M0
 1.75 m x 1.5 m - 1200 g/m²
 050204

PROTEC 1300
 1300°C/2400°F - Class M0
 XL: 2 m x 1.8 m - 620 g/m²
 053595

PROTEC 1300L
 1300°C/2400°F
 XL: 2 m x 1.8 m - 427 g/m²
 060500

SET OF 2 MAGNETS

- Jeu de 2 aimants - Schweißmagnet

(x2)
 052291

MAGNETIC COVER

- Couverture magnétique - Magnetschutzdecke

1.06 m x 0.6 m
 061446

RIDEAU DE SOUDAGE

- Welding curtain and frame - Schweißerschutzwand

OPTI 215.O
 Orange CE - 2 x 2.15 m
 EN 25980 - 2015/01
 060470

OPTI 200G
 Green T9 - 2 x 2 m
 EN 25980 - 2015/01
 060463

RESPIRATORY MASKS

- Masques respiratoires - Atemschutzmaske - Máscaras respiratorias

FFP3 - EN 140 / EN 143 / EN 166 (x1) Size M/L
 037021

FFP3 - EN 140 / EN 143 (x1) Size M/L
 037014

Étui / Case
 037045

FFP3 - EN 143 : 2000 P3
 Anti poussières / Anti odeurs
 037038

PROTECTION GOGGLES

- Lunettes de protection - Schutzbrillen

EN 166

Shade/RO 042810

Shade/RO 042827

Shade/RS 042841

Shade/RO 047778

Shade/RO 047792

Shade/RO 042865

Shade/RO 047839

GLOVES

- Gants - Handschuhe - Guantes

Anti-cut - Anti coupure T9
 045897

✓ touch screen friendly - écran tactile
 High resistance anti-cut
 Anti coupure haute résistance
 EN 420
 EN 388:4121
 T9: 045910
 T10: 045927

High dexterity anti-cut - Anti coupure haute dextérité
 EN 420
 EN 388:1121
 T9: 045903
 T10: 045934

T10 064188

EN420 2003

Ultra Flexible

EN388 2003

EN388 4342

EN388 4244

EN 407 4231XX
 EN12477
 Class: A1

Heavy Duty T10 (MMA - MIG - Plasma)
 045101

Gants PRO TIG T10
 045194

EN 407 322X2X
 EN12477
 Class: A1

Reinforced welding gloves - Gants de soudage renforcés
 T10
 045873

Gants PRO TIG EXTRA T10
 045323

EN388 4244

EN388 2011XX

EN 407 41313X
 EN12477-B
 EN 420



MULTI-USE LEATHER APRON

- Tablier cuir multi-usage - Delantal de cuero multi-uso - Mehrzweck-Lederschürze

PRO 045217



1T MOBILE LIFTING TABLE WITH HYDROPNEUMATIC PUMP - Table élévatrice mobile 1 tonne avec pompe hydropneumatique
- Mobiler 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe

083912
Weight : 385 kg



1.2T LIFTING TABLE FOR ELECTRIC VEHICLE BATTERIES - Table de levage 1.2T pour batteries de véhicule électrique
- 1,2T Hubtisch für Elektrofahrzeugbatterien

Weight : 760 kg



Lifting Table		083929
Lifting Table + 5L Hydraulic oil	+	088030


Lifting table pins
- Piges pour table de levage
- Stangen für Hubtisch
085176

NEW



EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES -
Équipements pour opérations sur véhicules électriques & hybrides
- Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018



INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025




25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V - Box mit 25 isolierten Werkzeugen 1000V
066489

7/8/10/12/14/15/17/19/22 mm sockets - Douilles 7/8/10/12/14/15/17/19/22 mm	x 9
175 mm universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cliquet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Open ended wrenches 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
Philips PhH1x100/PhH2x100 mm screwdriver - Tournevis Philips PhH1x100/PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2



Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "Danger, working area EHV" - Pancarte de signalisation "Danger, zone de travail VEH"	x 2



COMING SOON
083837

TROUSERS
- Pantalon - Hose

98% cotton, 2% antistatic	S (40/42) 046368
M (44/46) 046375	L (48/50) 046382
XL (52/54) 046399	XXL (56/58) 046412

EN ISO 11611 Class 2-A1 & A2	EN 1149-5	EN ISO 11612 A1+A2-B1-C1-E3-F1	EN 14404 +A1 Type 2	IEC 61482-2 Class 1-4KA
------------------------------	-----------	--------------------------------	---------------------	-------------------------

JACKET
- Veste - Jacke

98% cotton, 2% antistatic S (40/42) 046313	M (44/46) 046320	L (48/50) 046337	XL (52/54) 046344	XXL (56/58) 046351
---	---------------------	---------------------	----------------------	-----------------------


EN ISO 11611 Class 2-A1 & A2	EN 1149-5	EN ISO 11612 A1+A2-B1-C1-E3-F1	EN 14404 +A1 Type 2	IEC 61482-2 Class 1-4KA
------------------------------	-----------	--------------------------------	---------------------	-------------------------

MARKETING

143

ELECTRIC CARS
MARKETING

Display stand
- Podium de présentation
- Podest



PODIUM 1
A: 45 cm
B: 50 cm
C: 50 cm
063204

PODIUM 2
A: 80 cm
B: 50 cm
C: 50 cm
063211



Retail display space with 2 shelves
- Linéaire de vente avec 2 étagères
- Lochwandregal mit 2 Böden
060784



Banner
- Oriflamme
3 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039



INVEST IN THE FUTURE

COLLISION REPAIR

2025 A

GYS France

Headquarters

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr



ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

Logistic center

2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33

GYS Germany

Professor-Wieler
Straße 11
52070 Aachen
Deutschland
Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom
Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS Italia


Via Porta Est, 7
30020 Marcon - VE
Italia
Tel +39 041 53 21 565
E-mail italia@gys.fr

GYS Ibérica

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España
Tel +34 917 409 790
E-mail iberica@gys.fr

GYS China

Lot N°15 - 6666 bd Songze
201706 Qingpu
Shanghai - China
Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn



www.gys.fr

Distributed by

